

2011. - REZULTATI ISPITIVANJA KOMERCIJALNIH SORTI ŠEĆERNE REPE
U PROIZVODNOM OGLEDU U LOKALITETU KIKINDA

Red. broj	Kompanija	Sorta	% ostvarenog sklopa	Prinos korena*		Digestija (%)	Biološki šećer	
				t/ha	Rang u ogledu		kg/ha	Rang u ogledu
1	Maribo	Melrose	100,0	103,600	7	14,70	15.229	10
2		Taifun	100,0	92,100	16	15,42	14.202	14
3		Salora	97,0	99,800	10	13,78	13.752	16
4	Sesvanderhave	Giraf	100,0	103,300	8	15,40	15.908	6
5		Orginal	100,0	112,400	3	15,36	17.265	1
6		Leopard	100,0	113,300	1	13,98	15.839	7
7		Magistral	100,0	110,100	5	14,54	16.009	5
8		Wapti	100,0	111,300	4	15,10	16.806	3
9	Syngenta	Gazeta	96,0	105,600	6	15,99	16.885	2
10		Asketa	100,0	83,900	18	16,09	13.500	17
11		Lipta	97,0	98,000	11	14,92	14.622	12
12	Institut, N. Sad	Lara	94,0	92,000	17	12,43	11.436	19
13		Drena	75,0	82,400	19	16,10	13.266	18
14	Strube	Elmo	98,0	79,600	20	15,71	12.505	20
15		Viktor	90,0	96,600	12	16,33	15.775	8
16		Fred	98,0	112,600	2	13,93	15.685	9
17		Eike	93,0	94,500	14	15,93	15.054	11
18		Tibor	93,0	96,200	13	14,42	13.872	15
19		Tell	99,0	93,900	15	15,39	14.451	13
20	KWS	Laguna	84,0	101,800	9	15,82	16.105	4

* prinos korena po odbijanju ukupne nečistoće

Elementarna parcela: 840 m²

Predusev : pšenica

NPK (na bazi N-min) : 139:104:0 kg/ha

Datum setve 26. mart, na konačno rastojanje u redu od 18 cm

Datum i način vađenja: 27. oktobar, mašinski "Holmer"

Korišćeni herbicidi - posle nicanja: Piralis + Safari + Betanal + Galant super

Zaštita useva od Cercospore beticole: 17. juli i 23. avgust

PSS "Kikinda" d.o.o., Kikinda, direktor dipl.hem. Mladen Đuran

Odgovorno lice: dipl.ing. Zoran Simić

2011. - REZULTATI ISPITIVANJA KOMERCIJALNIH SORTI ŠEĆERNE REPE
U PROIZVODNOM OGLEDU U LOKALITETU **ZRENJANIN**

Red. broj	Kompanija	Sorta	% ostvarenog sklopa	Prinos korena*		Digestija (%)	Biološki šećer	
				t/ha	Rang u ogledu		kg/ha	Rang u ogledu
1	Maribo	Melrose	86,0	77,030	4	16,00	12.325	6
2		Taifun	84,0	71,510	15	16,46	11.771	13
3		Salora	92,0	72,320	13	16,03	11.593	16
4	Sesvanderhave	Giraf	95,0	74,540	7	16,15	12.038	10
5		Orginal	97,0	81,480	1	14,73	12.002	12
6		Leopard	97,0	77,340	3	16,86	13.040	2
7		Magistral	94,0	73,130	11	15,93	11.650	15
8		Wapti	92,0	73,750	10	15,93	11.748	14
9	Syngenta	Gazeta	87,0	75,310	5	16,80	12.652	3
10		Asketa	89,0	67,020	20	16,93	11.346	19
11		Lipta	87,0	70,780	17	16,01	11.332	20
12	Institut, N. Sad	Lara	79,0	71,640	14	16,83	12.057	8
13		Drena	78,0	69,990	19	16,45	11.513	18
14	Strube	Elmo	96,0	71,410	16	16,14	11.526	17
15		Viktor	97,0	77,650	2	16,97	13.177	1
16		Fred	89,0	74,060	9	16,68	12.353	5
17		Eike	87,0	70,620	18	17,02	12.020	11
18		Tibor	93,0	74,210	8	16,26	12.067	7
19		Tell	93,0	74,920	6	16,76	12.557	4
20	KWS	Laguna	87,0	73,000	12	16,50	12.045	9

* prinos korena po odbijanju ukupne nečistoće

Elementarna parcela: 600 m²

Predusev : pšenica

NPK (na bazi N-min) : 109:97:0 kg/ha

Datum setve 7. april, na konačno rastojanje u redu od 18 cm

Datum i način vađenja: 7. oktobar, mašinski "Holmer"

Korišćeni herbicidi:

korekcija 29. aprila: Betanal AM New + Safari + Goltix

korekcija 13. maja: Betanal Expert + Goltix + Safari

korekcija 1. juna: Betanal Expert + Lontrel + Goltix

korekcija za uskolisne korove, 29. juna: Fokus ultra

Zaštita useva od Cercospora beticola: 4. juli, 22. juli, 9. avgust i 2. septembar

PSS "Zrenjanin" d.o.o, Zrenjanin, direktor dipl.ing. Predrag Marjanski

Odgovorna lica: mr Ilija Bijelić i Zorica Rajačić, dipl.ing.

2011. - REZULTATI ISPITIVANJA KOMERCIJALNIH SORTI ŠEĆERNE REPE
U PROIZVODNOM OGLEDU U LOKALITETU **PANČEVO**

Red. broj	Kompanija	Sorta	% ostvarenog sklopa	Prinos korena*		Digestija (%)	Biološki šećer	
				t/ha	Rang u ogledu		kg/ha	Rang u ogledu
1	Maribo	Melrose	89,0	82,220	4	16,99	13.969	1
2		Taifun	92,0	74,670	13	17,30	12.918	8
3		Salora	93,0	86,000	3	15,74	13.536	4
4	Sesvanderhave	Giraf	90,0	78,440	8	16,69	13.092	7
5		Orginal	94,0	88,220	1	15,81	13.948	2
6		Leopard	90,0	86,220	2	14,94	12.881	9
7		Magistral	91,0	81,560	5	16,12	13.147	6
8		Wapti	93,0	76,670	12	16,52	12.666	13
9	Syngenta	Gazeta	91,0	70,000	16	16,16	11.312	18
10		Asketa	89,0	66,110	18	17,59	11.629	16
11		Lipta	91,0	71,330	15	16,90	12.055	14
12	Institut, N. Sad	Lara	90,0	61,330	20	16,87	10.346	19
13		Drena	94,0	62,440	19	16,10	10.053	20
14	Strube	Elmo	93,0	78,560	7	16,25	12.766	12
15		Viktor	91,0	80,330	6	17,07	13.712	3
16		Fred	90,0	76,760	11	16,74	12.850	11
17		Eike	92,0	77,330	10	16,65	12.875	10
18		Tibor	95,0	66,670	17	17,26	11.507	17
19		Tell	92,0	78,330	9	16,83	13.183	5
20	KWS	Laguna	92,0	73,560	14	16,15	11.880	15

* prinos korena po odbijanju ukupne nečistoće

Elementarna parcela: 450 m²

Predusev : pšenica

NPK (na bazi N-min) : 145:64:64 kg/ha

Datum setve 25. mart, na konačno rastojanje u redu od 18 cm.

Datum i način vađenja: 7. oktobra, šestoredom linijom "Majevica"

Korišćeni herbicidi:

posle setve: Dual gold

posle nicanja: Betanal am new + Hemomitron + Safari

korekcija za uskolisne korove: Fokus ultra

Zaštita useva od Cercospore beticola: 13. juli, 28. juli, 19. avgust i 3. septembar

PDS Institut "Tamiš", Pančevo, v.d. direktora dipl.ing. Mileta Stanković

Odgovorno lice: dipl.ing. Sava Krgović

2011. - REZULTATI ISPITIVANJA KOMERCIJALNIH SORTI ŠEĆERNE REPE
U PROIZVODNOM OGLEDU U LOKALITETU **SOMBOR**

Red. broj	Kompanija	Sorta	% ostvarenog sklopa	Prinos korena*		Digestija (%)	Biološki šećer	
				t/ha	Rang u ogledu		kg/ha	Rang u ogledu
1	Maribo	Melrose	97,0	84,050	16	18,00	15.129	13
2		Taifun	92,0	87,340	12	18,80	16.420	4
3		Salora	97,0	88,290	9	18,30	16.157	5
4	Sesvanderhave	Giraf	100,0	94,900	1	17,90	16.987	1
5		Orginal	93,0	90,790	5	18,10	16.433	3
6		Leopard	100,0	94,300	2	17,60	16.597	2
7		Magistral	100,0	81,810	19	17,60	14.399	16
8		Wapti	100,0	87,280	13	17,50	15.274	11
9	Syngenta	Gazeta	93,0	82,560	18	17,10	14.118	18
10		Asketa	97,0	83,020	17	17,90	14.861	14
11		Lipta	96,0	78,700	20	17,30	13.615	20
12	Institut, N. Sad	Lara	90,0	88,300	8	16,10	14.216	17
13		Drena	90,0	85,360	15	16,00	13.658	19
14	Strube	Elmo	100,0	90,050	6	17,00	15.309	10
15		Viktor	94,0	89,440	7	17,00	15.205	12
16		Fred	100,0	93,500	3	16,90	15.802	7
17		Eike	96,0	88,100	11	17,40	15.329	9
18		Tibor	100,0	88,150	10	18,10	15.955	6
19		Tell	100,0	86,200	14	17,00	14.654	15
20	KWS	Laguna	91,0	92,010	4	16,70	15.366	8

* prinos korena po odbijanju ukupne nečistoće

Elementarna parcela: 450 m²

Predusev : soja

NPK (na bazi N-min) : 106:60:60 kg/ha

Datum setve 1. april, na konačno rastojanje u redu od 18 cm

Datum i način vađenja: 23. oktobar, mašinski "Holmer"

Korišćeni herbicidi:

19. april: Betanal new + Goltix + Safari + Boss

7. maj: Betanal expert + Goltix + Boss + Safari

24. maj: Betanal new + Nortrnon super + Goltix

Zaštita useva od Cercospore beticole: 16. juni, 14. juli i 29. juli

PSS "Sombor", Sombor, direktor dipl.ing. Vladimir Sabadoš

Odgovorno lice: dipl.ing. Zoran Boca

2011. - REZULTATI ISPITIVANJA KOMERCIJALNIH SORTI ŠEĆERNE REPE
U PROIZVODNOM OGLEDU U LOKALITETU **VRBAS**

Red. broj	Kompanija	Sorta	% ostvarenog sklopa	Prinos korena*		Digestija (%)	Biološki šećer	
				t/ha	Rang u ogledu		kg/ha	Rang u ogledu
1	Maribo	Melrose	86,0	86,900	4	16,33	14.191	6
2		Taifun	94,0	70,900	18	17,44	12.365	16
3		Salora	84,0	79,000	11	16,34	12.909	12
4	Sesvanderhave	Giraf	87,0	81,100	8	17,08	13.852	9
5		Orginal	98,0	87,100	3	16,21	14.119	7
6		Leopard	100,0	79,900	10	17,00	13.583	10
7		Magistral	97,0	71,100	17	17,26	12.272	17
8		Wapti	100,0	75,600	13	16,90	12.776	14
9	Syngenta	Gazeta	89,0	71,600	16	17,75	12.709	15
10		Asketa	85,0	63,600	20	18,08	11.499	20
11		Lipta	91,0	80,300	9	16,57	13.306	11
12	Institut, N. Sad	Lara	82,0	75,200	14	16,12	12.122	18
13		Drena	77,0	71,800	15	16,40	11.775	19
14	Strube	Elmo	100,0	81,500	6	17,54	14.295	5
15		Viktor	100,0	83,700	5	18,02	15.083	2
16		Fred	99,0	81,300	7	17,83	14.496	4
17		Eike	98,0	70,800	19	18,18	12.871	13
18		Tibor	99,0	77,300	12	18,07	13.968	8
19		Tell	100,0	95,400	1	16,78	16.008	1
20	KWS	Laguna	100,0	87,200	2	17,06	14.876	3

* prinos korena po odbijanju ukupne nečistoće

Elementarna parcela: 600 m²

Predusev: suncokret

NPK (na bazi N-min): 139:84:56 kg/ha

Datum setve: 31. mart, na konačno rastojanje u redu od 18 cm

Datum i način vađenja: 7. oktobar, kombajn "Holmer"

Korišćeni herbicidi:

posle nicanja: Betanal AM New + Hemoklop 100 + Safari + Goltix

korekcija 21. aprila: Betanal expert + Lontrel 100 + Safari

korekcija 6. maja: Betanal expert + Lontrel + Safari

korekcija za uskolisne korove: Fokus ultra + Galant super

Zaštita useva od Cercospore beticole: 5. juli, 1. avgust i 17. avgust

PSS "Vrbas" d.o.o, Vrbas, direktor dipl.ing. Milan Bjelica

Odgovorno lice: dipl.ing. Vladimir Rankov

2011. - REZULTATI ISPITIVANJA KOMERCIJALNIH SORTI ŠEĆERNE REPE
U PROIZVODNOM OGLEDU U LOKALITETU **SREMSKA MITROVICA**

Red. broj	Kompanija	Sorta	% ostvarenog sklopa	Prinos korena*		Digestija (%)	Biološki šećer	
				t/ha	Rang u ogledu		kg/ha	Rang u ogledu
1	Maribo	Melrose	80,0	84,450	12	16,61	14.027	12
2		Taifun	94,0	76,450	18	16,39	12.530	19
3		Salora	88,0	83,800	13	14,68	12.302	20
4	Sesvanderhave	Giraf	89,0	85,770	10	16,18	13.878	13
5		Orginal	91,0	88,030	9	15,60	13.733	14
6		Leopard	99,0	96,800	3	17,04	16.495	3
7		Magistral	93,0	78,990	17	16,80	13.270	16
8		Wapti	98,0	90,240	6	16,45	14.844	9
9	Syngenta	Gazeta	97,0	81,340	15	17,28	14.056	11
10		Asketa	88,0	74,810	20	18,17	13.593	15
11		Lipta	84,0	80,690	16	16,29	13.144	17
12	Institut, N. Sad	Lara	69,0	81,800	14	17,53	14.340	10
13		Drena	70,0	74,900	19	16,90	12.658	18
14	Strube	Elmo	90,0	88,150	8	17,07	15.047	8
15		Viktor	82,0	90,540	5	17,82	16.134	5
16		Fred	98,0	94,610	4	17,43	16.491	4
17		Eike	98,0	90,050	7	17,52	15.777	6
18		Tibor	99,0	85,750	11	17,86	15.315	7
19		Tell	98,0	98,400	2	17,50	17.220	2
20	KWS	Laguna	99,0	99,350	1	17,90	17.784	1

* prinos korena po odbijanju ukupne nečistoće

Elementarna parcela: 500 m²

Predusev : soja

NPK (na bazi N-min) : 132:80:120 kg/ha

Datum setve: 24.mart, na konačno rastojanje u redu od 18 cm

Datum i način vađenja: 23. septembar, kombajn "Holmer"

Korišćeni herbicidi:

21. april: Betanal AM + Goltix + Safari

11. maj: Betanal expert + Goltix

Zaštita useva od Cercospore beticole: 4. juli, 21. juli, 8. avgust i 25. avgust

PSS "Sremska Mitrovica" doo, Sremska Mitrovica, direktor dipl.ing. Lale Andolović

Odgovorno lice: dr Katica Škrbić

2011. - REZULTATI ISPITIVANJA KOMERCIJALNIH SORTI ŠEĆERNE REPE U PROIZVODNIM OGLEDIMA
(Prosečni rezultati šest lokaliteta)

Red. broj	Kompanija	Sorta	% ostvarenog sklopa	Prinos korena		Digestija (%)	Biološki šećer	
				t/ha	Rang u ogledu		kg/ha	Rang u ogledu
1	Maribo	Melrose	89,7	86,375	7	16,44	14.145	8
2		Taifun	92,7	78,828	17	16,97	13.368	16
3		Salora	91,8	84,868	10	15,81	13.375	15
4	Sesvanderhave	Giraf	93,5	86,342	8	16,57	14.292	7
5		Orginal	95,5	91,337	1	15,97	14.583	6
6		Leopard	97,7	91,310	2	16,24	14.739	2
7		Magistral	95,8	82,782	11	16,38	13.458	14
8		Wapti	97,2	85,807	9	16,40	14.019	9
9	Syngenta	Gazeta	92,2	81,068	15	16,85	13.622	12
10		Asketa	91,3	73,077	20	17,46	12.738	18
11		Lipta	91,0	79,967	16	16,33	13.012	17
12	Institut, N. Sad	Lara	84,0	78,378	18	15,98	12.420	19
13		Drena	80,7	74,482	19	16,33	12.154	20
14	Strube	Elmo	96,2	81,545	13	16,62	13.575	13
15		Viktor	92,3	86,377	6	17,20	14.848	1
16		Fred	95,7	88,805	3	16,59	14.613	5
17		Eike	94,0	81,900	12	17,12	13.988	10
18		Tibor	96,5	81,380	14	17,00	13.781	11
19		Tell	97,0	87,858	4	16,71	14.679	3
20	KWS	Laguna	99,0	87,820	5	16,69	14.676	4