

Sorta 1

Reg.broj 320-04-12414/2005-06

PROIZVODNE KARAKTERISTIKE SORTE

Lokalitet	Godina	Prinos zrna - 9% vlage (kg/ha)		Sadržaj vlage (%)		Dužina vegetacije (dana)		Sadržaj ulja (%)		Prinos ulja (kg/ha)		Sadržaj glukozinolata (%)	
		Sorta 1	Banačanka	Sorta 1	Banačanka	Sorta 1	Banačanka	Sorta 1	Banačanka	Sorta 1	Banačanka	Sorta 1	Banačanka
Novi Sad	2005/06.	2780	3003	9.14	7.88	281	281	41.70	36.08	1159	1083	16.01	16.26
	2006/07.	3766	3701	9.53	8.29	258	259	48.92	46.90	1842	1736		
	☒	3273	3352	9.33	8.08	270	270	45.31	41.49	1501	1409	16.01	16.26
Pančevo	2005/06.	3228	2850	9.63	8.98	278	278	41.35	41.60	1335	1186	13.50	10.37
	2006/07.	3019	2310	10.83	9.40	245	245	47.24	44.63	1426	1031		
	☒	3124	2580	10.23	9.19	262	262	44.29	43.12	1380	1108	13.50	10.37
Sombor	2005/06.	3699	3541	10.10	8.78	271	272	46.65	43.65	1725	1546	16.62	16.66
	2006/07.	3706	3118	11.13	9.63	251	251	43.91	43.87	1627	1368	6.54	14.34
	☒	3702	3329	10.61	9.20	261	262	45.28	43.76	1676	1457	11.58	15.50
☒	2005/06.	3236	3131	9.62	8.54	277	277	43.23	40.44	1407	1272	15.38	14.43
	2006/07.	3497	3043	10.49	9.10	251	252	46.69	45.13	1632	1378	6.54	14.34
☒ (2005/06-2006/07.)		3366 ⁺⁺	3087	10.06	8.82	264	264	44.96	42.79	1519	1325	13.17	14.41
d	0.05	103											
	0.01	190											
Cv		11.56											

Sadržaj eruka* kiselina (%)		
Godina	Sorta 1	Standard
2005/06.	0.430	0.720
2006/07.	0.037	0.207
☒	0.234	0.464

* Sadržaj eruka kiselina određen je pre setve.

MORFOLOŠKE KARAKTERISTIKE I OTPORNOST PREMA BOLESTIMA

Lokalitet	Godina	Visina do prve bočne grane (cm)		Visina biljke (cm)		Pucanje ljuške (1-9)		Bolesti					
		Sorta 1	Banaćanka	Sorta 1	Banaćanka	Sorta 1	Banaćanka	Bela trulež (1-9)		Tamnomrka pegavost (1-9)		Suva trulež (1-9)	
								Sorta 1	Banaćanka	Sorta 1	Banaćanka	Sorta 1	Banaćanka
Novi Sad	2005/06.	73.6	68.5	154.0	152.4	1	1	2	2	4	3	2	2
	2006/07.	62.6	69.2	159.8	158.3	1	1	1	1	1	1	1	1
	☒	68.1	68.9	156.9	155.3	1.0	1.0	1.5	1.5	2.5	2.0	1.5	1.5
Pančevo	2005/06.	60.0	57.0	128.0	125.0	1	1	1	1	1	1	1	1
	2006/07.	59.0	37.0	148.0	170.0	1	2	1	1	1	1	1	1
	☒	59.5	47.0	138.0	147.5	1.0	1.5	1.0	1.0	1.0	1.0	1.0	1.0
Sombor	2005/06.	48.6	40.3	133.0	118.0			4	3				2
	2006/07.			157.3	160.8			2	2	1	1	1	1
	☒	48.6	40.3	145.1	139.4			3	3	1.0	1.0	1.0	1.5
☒ (2005/06-2006/07.)		60.8	54.4	146.7	147.4	1.0	1.3	1.8	1.7	1.6	1.4	1.2	1.3

Sorta 2

Reg.broj 320-04-12416/2005-06

PROIZVODNE KARAKTERISTIKE SORTE

Lokalitet	Godina	Prinos zrna (kg/ha)		Sadržaj vlage (%)		Dužina vegetacije (dana)		Sadržaj ulja (%)		Prinos ulja (kg/ha)		Sadržaj glukozinolata (%)	
		Sorta 2	Bana-čanka	Sorta 2	Bana-čanka	Sorta 2	Bana-čanka	Sorta 2	Bana-čanka	Sorta 2	Bana-čanka	Sorta 2	Bana-čanka
Novi Sad	2005/06.	2922	3003	8.06	7.88	281	281	38.28	36.08	1118	1083	16.00	16.26
	2006/07.	4536	3701	7.83	8.29	260	259	47.35	46.90	2147	1736		
	☒	3729	3352	7.95	8.08	271	270	42.81	41.49	1633	1409	16.00	16.26
Pančevo	2005/06.	3446	2850	7.95	8.98	278	278	41.35	41.60	1425	1186	16.66	10.37
	2006/07.	2703	2310	9.05	9.40	245	245	44.75	44.63	1209	1031		
	☒	3074	2580	8.50	9.19	262	262	43.05	43.12	1317	1108	16.66	10.37
Sombor	2005/06.	3833	3541	9.10	8.78	272	272	43.13	43.65	1653	1546	16.64	16.66
	2006/07.	4123	3118	9.63	9.63	251	251	43.56	43.87	1796	1368	12.56	14.34
	☒	3978	3329	9.36	9.20	262	262	43.35	43.76	1725	1457	14.60	15.50
☒	2005/06.	3400	3131	8.37	8.54	277	277	40.92	40.44	1399	1272	16.43	14.43
	2006/07.	3787	3043	8.84	9.10	252	252	45.22	45.13	1718	1378	12.56	14.34
☒ (2005/06-2006/07.)		3594 ⁺⁺	3087	8.60	8.82	265	264	43.07	42.79	1558	1325	15.47	14.41
d	0.05	103											
	0.01	190											
Cv		11.56											

Sadržaj eruka* kiselina (%)		
Godina	Sorta 2	Standard
2005/06.	0.440	0.720
2006/07.	0.034	0.207
☒	0.237	0.464

* Sadržaj eruka kiselina određen je pre setve.

MORFOLOŠKE KARAKTERISTIKE I OTPORNOST PREMA BOLESTIMA

Lokalitet	Godina	Visina do prve bočne grane (cm)		Visina biljke (cm)		Pucanje ljuške (1-9)		Bolesti					
								Bela trulež (1-9)		Tamnomrka pegavost (1-9)		Suva trulež (1-9)	
		Sorta 2	Banaćanka	Sorta 2	Banaćanka	Sorta 2	Banaćanka	Sorta 2	Banaćanka	Sorta 2	Banaćanka	Sorta 2	Banaćanka
Novi Sad	2005/06.	71.9	68.5	150.4	152.4	1	1	3	2	4	3	2	2
	2006/07.	72.7	69.2	162.2	158.3	1	1	1	1	1	1	1	1
	☒	72.3	68.9	156.3	155.3	1.0	1.0	2.0	1.5	2.5	2.0	1.5	1.5
Pančevo	2005/06.	65.0	57.0	125.0	125.0	2	1	1	1	1	1	1	1
	2006/07.	51.0	37.0	161.0	170.0	2	2	1	1	1	1	1	1
	☒	58.0	47.0	143.0	147.5	2.0	1.5	1.0	1.0	1.0	1.0	1.0	1.0
Sombor	2005/06.	46.3	40.3	116.6	118.0			8	3				2
	2006/07.			175.5	160.8			2	2	1	1	1	1
	☒	46.3	40.3	146.1	139.4			5	3	1.0	1.0	1.0	1.5
☒ (2005/06-2006/07.)		61.4	54.4	148.5	147.4	1.5	1.3	2.7	1.7	1.6	1.4	1.2	1.3

Sorta 3

Reg.broj 320-04-12415/2005-06

PROIZVODNE KARAKTERISTIKE SORTE

Lokalitet	Godina	Prinos zrna (kg/ha)		Sadržaj vlage (%)		Dužina vegetacije (dana)		Sadržaj ulja (%)		Prinos ulja (kg/ha)		Sadržaj glukozinolata (%)	
		Sorta 3	Bana- ćanka	Sorta 3	Bana- ćanka	Sorta 3	Bana- ćanka	Sorta 3	Bana- ćanka	Sorta 3	Bana- ćanka	Sorta 3	Bana- ćanka
Novi Sad	2005/06.	2770	3003	8.36	7.88	281	281	40.54	36.08	1123	1083	16.00	16.26
	2006/07.	3825	3701	8.32	8.29	260	259	45.81	46.90	1752	1736		
	☒	3298	3352	8.34	8.08	271	270	43.17	41.49	1437	1409	16.00	16.26
Pančevo	2005/06.	2709	2850	9.30	8.98	278	278	42.04	41.60	1139	1186	17.44	10.37
	2006/07.	2193	2310	9.75	9.40	245	245	43.60	44.63	956	1031		
	☒	2451	2580	9.53	9.19	262	262	42.82	43.12	1047	1108	17.44	10.37
Sombor	2005/06.	3188	3541	9.58	8.78	271	272	42.88	43.65	1367	1546	16.64	16.66
	2006/07.	3506	3118	12.00	9.63	251	251	42.85	43.87	1502	1368	9.74	14.34
	☒	3347	3329	10.79	9.20	261	262	42.86	43.76	1435	1457	13.19	15.50
☒	2005/06.	2889	3131	9.08	8.54	277	277	41.82	40.44	1210	1272	16.69	14.43
	2006/07.	3175	3043	10.02	9.10	252	252	44.08	45.13	1403	1378	9.74	14.34
☒ (2005/06-2006/07.)		3032 °	3087	9.55	8.82	264	264	42.95	42.79	1307	1325	14.96	14.41
d	0.05	103											
	0.01	190											
Cv		11.56											

Sadržaj eruka* kiselina (%)		
Godina	Sorta 3	Standard
2005/06.	0.700	0.720
2006/07.	0.034	0.207
☒	0.367	0.464

* Sadržaj eruka kiselina određen je pre setve.

MORFOLOŠKE KARAKTERISTIKE I OTPORNOST PREMA BOLESTIMA

Lokalitet	Godina	Visina do prve bočne grane (cm)		Visina biljke (cm)		Pucanje ljuške (1-9)		Bolesti					
								Bela trulež (1-9)		Tamnomrka pegavost (1-9)		Suva trulež (1-9)	
		Sorta 3	Banaćanka	Sorta 3	Banaćanka	Sorta 3	Banaćanka	Sorta 3	Banaćanka	Sorta 3	Banaćanka	Sorta 3	Banaćanka
Novi Sad	2005/06.	62.9	68.5	157.9	152.4	1	1	2	2	4	3	3	2
	2006/07.	64.1	69.2	149.5	158.3	1	1	1	1	1	1	1	1
	☒	63.5	68.9	153.7	155.3	1.0	1.0	1.5	1.5	2.5	2.0	2.0	1.5
Pančevo	2005/06.	66.0	57.0	135.0	125.0	2	1	1	1	1	1	1	1
	2006/07.	60.0	37.0	157.0	170.0	5	2	1	1	1	1	1	1
	☒	63.0	47.0	146.0	147.5	3.5	1.5	1.0	1.0	1.0	1.0	1.0	1.0
Sombor	2005/06.	42.0	40.3	123.0	118.0			5	3			1	2
	2006/07.			169.5	160.8			3	2	1	1	1	1
	☒	42.0	40.3	146.3	139.4			4	3	1.0	1.0	1.0	1.5
☒ (2005/06-2006/07.)		59.0	54.4	148.7	147.4	2.3	1.3	2.2	1.7	1.6	1.4	1.3	1.3

Sorta 4

Reg.broj 320-04-12440/2005-06

PROIZVODNE KARAKTERISTIKE SORTE

Lokalitet	Godina	Prinos zrna (kg/ha)		Sadržaj vlage (%)		Dužina vegetacije (dana)		Sadržaj ulja (%)		Prinos ulja (kg/ha)		Sadržaj glukozinolata (%)	
		Sorta 4	Banačanka	Sorta 4	Banačanka	Sorta 4	Banačanka	Sorta 4	Banačanka	Sorta 4	Banačanka	Sorta 4	Banačanka
Novi Sad	2005/06.	2778	3003	7.91	7.88	281	281	39.48	36.08	1097	1083	13.52	16.26
	2006/07.	5057	3701	7.86	8.29	258	259	46.96	46.90	2375	1736		
	☒	3917	3352	7.89	8.08	270	270	43.22	41.49	1736	1409	13.52	16.26
Pančevo	2005/06.	2748	2850	8.18	8.98	278	278	38.75	41.60	1065	1186	12.72	10.37
	2006/07.	2375	2310	9.30	9.40	245	245	46.59	44.63	1106	1031		
	☒	2561	2580	8.74	9.19	262	262	42.67	43.12	1086	1108	12.72	10.37
Sombor	2005/06.	3599	3541	9.15	8.78	271	272	44.45	43.65	1600	1546	16.67	16.66
	2006/07.	3895	3118	12.75	9.63	249	251	45.02	43.87	1753	1368	10.10	14.34
	☒	3747	3329	10.95	9.20	260	262	44.73	43.76	1677	1457	13.39	15.50
☒	2005/06.	3042	3131	9.59	8.54	277	277	40.89	40.44	1254	1272	14.30	14.43
	2006/07.	3776	3043	9.31	9.10	251	252	46.19	45.13	1745	1378	10.10	14.34
☒ (2005/06-2006/07.)		3409 ⁺⁺	3087	9.45	8.82	264	264	43.54	42.79	1499	1325	13.25	14.41
d	0.05	103											
	0.01	190											
Cv		11.56											

Sadržaj eruka* kiselina (%)		
Godina	Sorta 4	Standard
2005/06.	0.420	0.720
2006/07.	0.867	0.207
☒	0.644	0.464

* Sadržaj eruka kiselina određen je pre setve.

MORFOLOŠKE KARAKTERISTIKE I OTPORNOST PREMA BOLESTIMA

Lokalitet	Godina	Visina do prve bočne grane (cm)		Visina biljke (cm)		Pucanje ljuske (1-9)		Bolesti					
								Bela trulež (1-9)		Tamnomrka pegavost (1-9)		Suva trulež (1-9)	
		Sorta 4	Banaćanka	Sorta 4	Banaćanka	Sorta 4	Banaćanka	Sorta 4	Banaćanka	Sorta 4	Banaćanka	Sorta 4	Banaćanka
Novi Sad	2005/06.	66.4	68.5	156.5	152.4	1	1	2	2	4	3	2	2
	2006/07.	74.0	69.2	173.4	158.3	1	1	1	1	1	1	1	1
	☒	70.2	68.9	165.0	155.3	1.0	1.0	1.5	1.5	2.5	2.0	1.5	1.5
Pančevo	2005/06.	48.0	57.0	130.0	125.0	3	1	1	1	1	1	1	1
	2006/07.	40.0	37.0	154.0	170.0	4	2	1	1	1	1	1	1
	☒	44.0	47.0	142.0	147.5	3.5	1.5	1.0	1.0	1.0	1.0	1.0	1.0
Sombor	2005/06.	28.6	40.3	135.0	118.0			5	3				2
	2006/07.			166.3	160.8			3	2	1	1	1	1
	☒	28.6	40.3	150.7	139.4			4	3	1.0	1.0	1.0	1.5
☒ (2005/06-2006/07.)		51.4	54.4	152.5	147.4	2.3	1.3	2.2	1.7	1.6	1.4	1.2	1.3

Sorta 5

Reg.broj 320-04-12443/2005-06

PROIZVODNE KARAKTERISTIKE SORTE

Lokalitet	Godina	Prinos zrna (kg/ha)		Sadržaj vlage (%)		Dužina vegetacije (dana)		Sadržaj ulja (%)		Prinos ulja (kg/ha)		Sadržaj glukozinolata (%)	
		Sorta 5	Banačanka	Sorta 5	Banačanka	Sorta 5	Banačanka	Sorta 5	Banačanka	Sorta 5	Banačanka	Sorta 5	Banačanka
Novi Sad	2005/06.	2664	3003	7.87	7.88	281	281	35.27	36.08	940	1083	23.73	16.26
	2006/07.	3827	3701	7.90	8.29	260	259	47.69	46.90	1825	1736		
	☒	3245	3352	7.88	8.08	271	270	41.48	41.49	1382	1409	23.73	16.26
Pančevo	2005/06.	2610	2850	7.73	8.98	278	278	36.08	41.60	942	1186	11.95	10.37
	2006/07.	2392	2310	8.35	9.40	245	245	43.90	44.63	1050	1031		
	☒	2501	2580	8.04	9.19	262	262	39.99	43.12	996	1108	11.95	10.37
Sombor	2005/06.	2938	3541	8.83	8.78	272	272	42.54	43.65	1250	1546	13.49	16.66
	2006/07.	2135	3118	9.88	9.63	249	251	42.10	43.87	899	1368	15.49	14.34
	☒	2537	3329	9.35	9.20	261	262	42.32	43.76	1074	1457	14.49	15.50
☒	2005/06.	2737	3131	9.29	8.54	277	277	37.96	40.44	1044	1272	16.39	14.43
	2006/07.	2785	3043	11.01	9.10	251	252	44.56	45.13	1258	1378	15.49	14.34
☒ (2005/06-2006/07.)		2761	3087	10.15	8.82	264	264	41.26	42.79	1151	1325	16.17	14.41
d	0.05	103											
	0.01	190											
Cv		11.56											

Sadržaj eruka* kiselina (%)		
Godina	Sorta 5	Standard
2005/06.	0.460	0.720
2006/07.	0.053	0.207
☒	0.257	0.464

* Sadržaj eruka kiselina određen je pre setve.

MORFOLOŠKE KARAKTERISTIKE I OTPORNOST PREMA BOLESTIMA

Lokalitet	Godina	Visina do prve bočne grane (cm)		Visina biljke (cm)		Pucanje ljuske (1-9)		Bolesti					
		Sorta 5	Banaćanka	Sorta 5	Banaćanka	Sorta 5	Banaćanka	Bela trulež (1-9)		Tamnomrka pegavost (1-9)		Suva trulež (1-9)	
								Sorta 5	Banaćanka	Sorta 5	Banaćanka	Sorta 5	Banaćanka
Novi Sad	2005/06.	79.8	68.5	161.3	152.4	1	1	2	2	4	3	3	2
	2006/07.	86.8	69.2	161.5	158.3	1	1	1	1	1	1	1	1
	☒	83.3	68.9	161.4	155.3	1.0	1.0	1.5	1.5	2.5	2.0	2.0	1.5
Pančevo	2005/06.	66.0	57.0	139.0	125.0	3	1	1	1	1	1	1	1
	2006/07.	45.0	37.0	160.0	170.0	3	2	1	1	1	1	1	1
	☒	55.5	47.0	149.5	147.5	3.0	1.5	1.0	1.0	1.0	1.0	1.0	1.0
Sombor	2005/06.	51.0	40.3	131.0	118.0			4	3			3	2
	2006/07.			170.5	160.8			2	2	1	1	1	1
	☒	51.0	40.3	150.8	139.4			3	3	1.0	1.0	2.0	1.5
☒ (2005/06-2006/07.)		65.7	54.4	153.9	147.4	2.0	1.3	1.8	1.7	1.6	1.4	1.7	1.3

Sorta 6

Reg.broj 320-04-12441/2005-06

PROIZVODNE KARAKTERISTIKE SORTE

Lokalitet	Godina	Prinos zrna (kg/ha)		Sadržaj vlage (%)		Dužina vegetacije (dana)		Sadržaj ulja (%)		Prinos ulja (kg/ha)		Sadržaj glukozinolata (%)	
		Sorta 6	Bana-čanka	Sorta 6	Bana-čanka	Sorta 6	Bana-čanka	Sorta 6	Bana-čanka	Sorta 6	Bana-čanka	Sorta 6	Bana-čanka
Novi Sad	2005/06.	3355	3003	9.41	7.88	281	281	37.65	36.08	1263	1083	23.56	16.26
	2006/07.	3776	3701	8.59	8.29	259	259	47.09	46.90	1778	1736		
	☒	3565	3352	9.00	8.08	270	270	42.37	41.49	1520	1409	23.56	16.26
Pančevo	2005/06.	2543	2850	8.30	8.98	278	278	41.23	41.60	1049	1186	10.38	10.37
	2006/07.	1915	2310	10.48	9.40	245	245	44.85	44.63	859	1031		
	☒	2229	2580	9.39	9.19	262	262	43.04	43.12	954	1108	10.38	10.37
Sombor	2005/06.	3378	3541	8.78	8.78	270	272	44.60	43.65	1507	1546	15.07	16.66
	2006/07.	3464	3118	12.75	9.63	251	251	42.35	43.87	1467	1368	32.33	14.34
	☒	3421	3329	10.76	9.20	261	262	43.47	43.76	1487	1457	23.70	15.50
☒	2005/06.	3092	3131	8.41	8.54	276	277	41.16	40.44	1273	1272	16.34	14.43
	2006/07.	3052	3043	9.97	9.10	252	252	44.76	45.13	1368	1378	32.33	14.34
☒ (2005/06-2006/07.)		3072 °	3087	9.19	8.82	264	264	42.96	42.79	1320	1325	20.34	14.41
d	0.05	103											
	0.01	190											
Cv		11.56											

Sadržaj eruka* kiselina (%)		
Godina	Sorta 6	Standard
2005/06.	0.460	0.720
2006/07.	1.098	0.207
☒	0.779	0.464

* Sadržaj eruka kiselina određen je pre setve.

MORFOLOŠKE KARAKTERISTIKE I OTPORNOST PREMA BOLESTIMA

Lokalitet	Godina	Visina do prve bočne grane (cm)		Visina biljke (cm)		Pucanje ljuske (1-9)		Bolesti					
								Bela trulež (1-9)		Tamnomrka pegavost (1-9)		Suva trulež (1-9)	
		Sorta 6	Banaćanka	Sorta 6	Banaćanka	Sorta 6	Banaćanka	Sorta 6	Banaćanka	Sorta 6	Banaćanka	Sorta 6	Banaćanka
Novi Sad	2005/06.	68.9	68.5	151.9	152.4	1	1	2	2	3	3	2	2
	2006/07.	54.0	69.2	142.7	158.3	1	1	1	1	1	1	1	1
	☒	61.5	68.9	147.3	155.3	1.0	1.0	1.5	1.5	2.0	2.0	1.5	1.5
Pančevo	2005/06.	68.0	57.0	127.0	125.0	2	1	1	1	1	1	1	1
	2006/07.	50.0	37.0	154.0	170.0	3	2	1	1	1	1	1	1
	☒	59.0	47.0	140.5	147.5	2.5	1.5	1.0	1.0	1.0	1.0	1.0	1.0
Sombor	2005/06.	43.3	40.3	110.3	118.0			3	3			1	2
	2006/07.			157.3	160.8			2	2	1	1	1	1
	☒	43.3	40.3	133.8	139.4			3	3	1.0	1.0	1.0	1.5
☒ (2005/06-2006/07.)		56.8	54.4	140.5	147.4	1.8	1.3	1.7	1.7	1.4	1.4	1.2	1.3

Sorta 7

Reg.broj 320-04-12421/2005-06

PROIZVODNE KARAKTERISTIKE SORTE

Lokalitet	Godina	Prinos zrna (kg/ha)		Sadržaj vlage (%)		Dužina vegetacije (dana)		Sadržaj ulja (%)		Prinos ulja (kg/ha)		Sadržaj glukozinolata (%)	
		Sorta 7	Bana- ćanka	Sorta 7	Bana- ćanka	Sorta 7	Bana- ćanka	Sorta 7	Bana- ćanka	Sorta 7	Bana- ćanka	Sorta 7	Bana- ćanka
Novi Sad	2005/06.	3092	3003	8.44	7.88	281	281	45.92	36.08	1420	1083	23.77	16.26
	2006/07.	4602	3701	9.09	8.29	258	259	48.28	46.90	2222	1736		
	☒	3847	3352	8.76	8.08	270	270	47.10	41.49	1821	1409	23.77	16.26
Pančevo	2005/06.	1809	2850	11.23	8.98	278	278	40.72	41.60	737	1186	15.05	10.37
	2006/07.	2021	2310	9.73	9.40	245	245	46.02	44.63	930	1031		
	☒	1915	2580	10.48	9.19	262	262	43.37	43.12	833	1108	15.05	10.37
Sombor	2005/06.	3276	3541	9.10	8.78	272	272	45.31	43.65	1484	1546	15.07	16.66
	2006/07.	3145	3118	9.13	9.63	251	251	47.49	43.87	1494	1368	14.21	14.34
	☒	3210	3329	9.11	9.20	262	262	46.40	43.76	1489	1457	14.64	15.50
☒	2005/06.	2726	3131	8.14	8.54	277	277	43.98	40.44	1214	1272	17.96	14.43
	2006/07.	3256	3043	8.71	9.10	251	252	47.26	45.13	1548	1378	14.21	14.34
☒ (2005/06-2006/07.)		2991 °	3087	8.42	8.82	264	264	45.62	42.79	1381	1325	17.03	14.41
d	0.05	103											
	0.01	190											
Cv		11.56											

Sadržaj eruka* kiselina (%)		
Godina	Sorta 7	Standard
2005/06.	0.330	0.720
2006/07.	0.050	0.207
☒	0.190	0.464

* Sadržaj eruka kiselina određen je pre setve.

MORFOLOŠKE KARAKTERISTIKE I OTPORNOST PREMA BOLESTIMA

Lokalitet	Godina	Visina do prve bočne grane (cm)		Visina biljke (cm)		Pucanje ljuske (1-9)		Bolesti					
		Sorta 7	Banaćanka	Sorta 7	Banaćanka	Sorta 7	Banaćanka	Bela trulež (1-9)		Tamnomrka pegavost (1-9)		Suva trulež (1-9)	
								Sorta 7	Banaćanka	Sorta 7	Banaćanka	Sorta 7	Banaćanka
Novi Sad	2005/06.	66.2	68.5	163.4	152.4	1	1	3	2	4	3	2	2
	2006/07.	65.4	69.2	168.8	158.3	1	1	1	1	1	1	1	1
	☒	65.8	68.9	166.1	155.3	1.0	1.0	2.0	1.5	2.5	2.0	1.5	1.5
Pančevo	2005/06.	55.0	57.0	145.0	125.0	7	1	1	1	1	1	1	1
	2006/07.	42.0	37.0	155.0	170.0	6	2	1	1	1	1	1	1
	☒	48.5	47.0	150.0	147.5	6.5	1.5	1.0	1.0	1.0	1.0	1.0	1.0
Sombor	2005/06.	16.0	40.3	124.0	118.0			4	3			2	2
	2006/07.			173.0	160.8			3	2	1	1	1	1
	☒	16.0	40.3	148.5	139.4			4	3	1.0	1.0	1.5	1.5
☒ (2005/06-2006/07.)		48.9	54.4	154.9	147.4	3.8	1.3	2.2	1.7	1.6	1.4	1.3	1.3

Sorta 8

Reg.broj 320-04-12361/2005-06

PROIZVODNE KARAKTERISTIKE SORTE

Lokalitet	Godina	Prinos zrna (kg/ha)		Sadržaj vlage (%)		Dužina vegetacije (dana)		Sadržaj ulja (%)		Prinos ulja (kg/ha)		Sadržaj glukozinolata (%)	
		Sorta 8	Bana-čanka	Sorta 8	Bana-čanka	Sorta 8	Bana-čanka	Sorta 8	Bana-čanka	Sorta 8	Bana-čanka	Sorta 8	Bana-čanka
Novi Sad	2005/06.	2712	3003	8.61	7.88	281	281	38.15	36.08	1035	1083	23.75	16.26
	2006/07.	4285	3701	8.56	8.29	259	259	45.97	46.90	1969	1736		
	☒	3499	3352	8.59	8.08	270	270	42.06	41.49	1502	1409	23.75	16.26
Pančevo	2005/06.	3645	2850	10.08	8.98	278	278	36.50	41.60	1330	1186	13.39	10.37
	2006/07.	2546	2310	10.48	9.40	245	245	45.72	44.63	1164	1031		
	☒	3095	2580	10.28	9.19	262	262	41.11	43.12	1247	1108	13.39	10.37
Sombor	2005/06.	3561	3541	9.18	8.78	275	272	43.48	43.65	1548	1546	21.24	16.66
	2006/07.	3971	3118	14.00	9.63	251	251	43.48	43.87	1726	1368	12.40	14.34
	☒	3766	3329	11.59	9.20	263	262	43.48	43.76	1637	1457	16.82	15.50
☒	2005/06.	3306	3131	8.83	8.54	278	277	39.38	40.44	1305	1272	19.46	14.43
	2006/07.	3600	3043	10.60	9.10	252	252	45.05	45.13	1620	1378	12.40	14.34
☒ (2005/06-2006/07.)		3453 ⁺⁺	3087	9.72	8.82	265	264	42.22	42.79	1462	1325	17.70	14.41
d	0.05	103											
	0.01	190											
Cv		11.56											

Sadržaj eruka* kiselina (%)		
Godina	Sorta 8	Standard
2005/06.	0.440	0.720
2006/07.	0.583	0.207
☒	0.512	0.464

* Sadržaj eruka kiselina određen je pre setve.

MORFOLOŠKE KARAKTERISTIKE I OTPORNOST PREMA BOLESTIMA

Lokalitet	Godina	Visina do prve bočne grane (cm)		Visina biljke (cm)		Pucanje ljuske (1-9)		Bolesti					
								Bela trulež (1-9)		Tamnomrka pegavost (1-9)		Suva trulež (1-9)	
		Sorta 8	Banaćanka	Sorta 8	Banaćanka	Sorta 8	Banaćanka	Sorta 8	Banaćanka	Sorta 8	Banaćanka	Sorta 8	Banaćanka
Novi Sad	2005/06.	73.9	68.5	154.9	152.4	1	1	2	2	4	3	2	2
	2006/07.	69.6	69.2	155.4	158.3	1	1	1	1	1	1	1	1
	☒	71.7	68.9	155.2	155.3	1.0	1.0	1.5	1.5	2.5	2.0	1.5	1.5
Pančevo	2005/06.	57.0	57.0	132.0	125.0	1	1	1	1	1	1	1	1
	2006/07.	38.0	37.0	145.0	170.0	2	2	1	1	1	1	1	1
	☒	47.5	47.0	138.5	147.5	1.5	1.5	1.0	1.0	1.0	1.0	1.0	1.0
Sombor	2005/06.	51.0	40.3	122.0	118.0			3	3			2	2
	2006/07.			158.5	160.8			3	2	1	1	1	1
	☒	51.0	40.3	140.3	139.4			3	3	1.0	1.0	1.5	1.5
☒ (2005/06-2006/07.)		57.9	54.4	144.6	147.4	1.3	1.3	1.8	1.7	1.6	1.4	1.3	1.3

Hibrid 9

Reg.broj 320-04-12362/2005-06

PROIZVODNE KARAKTERISTIKE SORTE

Lokalitet	Godina	Prinos zrna (kg/ha)		Sadržaj vlage (%)		Dužina vegetacije (dana)		Sadržaj ulja (%)		Prinos ulja (kg/ha)		Sadržaj glukozinolata (%)	
		Hibrid 9	Triangle	Hibrid 9	Triangle	Hibrid 9	Triangle	Hibrid 9	Triangle	Hibrid 9	Triangle	Hibrid 9	Triangle
Novi Sad	2005/06.	2631	3390	6.81	7.27	278	278	40.82	35.97	1074	1219	23.77	26.31
	2006/07.	4021	4300	6.78	7.23	258	258	48.55	46.31	1952	1991		
	☒	3326	3845	6.80	7.25	268	268	44.68	41.14	1513	1605	23.77	26.31
Pančevo	2005/06.	2970	3258	7.45	6.60	278	278	40.73	38.96	1209	1269	16.03	16.66
	2006/07.	3435	3040	7.95	7.50	245	245	46.95	45.37	1613	1379		
	☒	3202	3149	7.70	7.05	262	262	43.84	42.17	1411	1324	16.03	16.66
Sombor	2005/06.	3617	2684	8.98	8.85	269	269	44.17	43.17	1598	1159	15.06	16.65
	2006/07.	4044	3337	12.63	13.63	251	251	44.52	41.50	1800	1385	7.44	12.88
	☒	3831	3011	10.80	11.24	260	260	44.40	42.34	1699	1272	11.25	14.77
☒	2005/06.	3073	3110	7.75	7.57	275	275	41.91	39.37	1294	1216	18.29	19.87
	2006/07.	3833	3559	9.12	9.45	251	251	46.67	44.39	1788	1585	7.44	12.88
☒ (2005/06-2006/07.)		3453 ⁺	3335	8.43	8.51	263	263	44.29	41.88	1541	1400	15.58	18.13
d	0.05	110											
	0.01	195											
Cv		10.70											

Sadržaj eruka* kiselina (%)		
Godina	Hibrid 9	Standard
2005/06.	0.430	0.580
2006/07.	0.053	0.099
☒	0.242	0.340

* Sadržaj eruka kiselina određen je pre setve.

MORFOLOŠKE KARAKTERISTIKE I OTPORNOST PREMA BOLESTIMA

Lokalitet	Godina	Visina do prve bočne grane (cm)		Visina biljke (cm)		Pucanje ljuske (1-9)		Bolesti					
								Bela trulež (1-9)		Tamnomrka pegavost (1-9)		Suva trulež (1-9)	
		Hibrid 9	Triangle	Hibrid 9	Triangle	Hibrid 9	Triangle	Hibrid 9	Triangle	Hibrid 9	Triangle	Hibrid 9	Triangle
Novi Sad	2005/06.	80.5	64.4	167.6	161.5	1	1	2	2	3	3	2	3
	2006/07.	89.2	72.9	173.6	152.7	1	1	1	1	1	1	1	1
	☒	84.9	68.7	170.6	157.1	1.0	1.0	1.5	1.5	2.0	2.0	1.5	2.0
Pančevo	2005/06.	59.0	72.0	144.0	142.0	4	3	1	1	1	1	1	1
	2006/07.	42.0	32.0	170.0	160.0	2	3	1	1	1	1	1	1
	☒	50.5	52.0	157.0	151.0	3.0	3.0	1.0	1.0	1.0	1.0	1.0	1.0
Sombor	2005/06.	41.0	40.6	131.1	138.0			4	5			3	1
	2006/07.			190.0	156.2			2	2	1	1	1	1
	☒	41.0	40.6	160.6	147.1			3	4	1.0	1.0	2.0	1.0
☒ (2005/06-2006/07.)		62.3	56.4	162.7	151.7	2.0	2.0	1.8	2.0	1.4	1.4	1.5	1.3

Hibrid 10

Reg.broj 320-04-12360/2005-06

PROIZVODNE KARAKTERISTIKE SORTE

Lokalitet	Godina	Prinos zrna (kg/ha)		Sadržaj vlage (%)		Dužina vegetacije (dana)		Sadržaj ulja (%)		Prinos ulja (kg/ha)		Sadržaj glukozinolata (%)	
		Hibrid 10	Triangle	Hibrid 10	Triangle	Hibrid 10	Triangle	Hibrid 10	Triangle	Hibrid 10	Triangle	Hibrid 10	Triangle
Novi Sad	2005/06.	2961	3390	8.78	7.27	278	278	42.17	35.97	1249	1219	23.76	26.31
	2006/07.	3651	4300	8.00	7.23	258	258	50.15	46.31	1831	1991		
	☒	3306	3845	8.39	7.25	268	268	46.16	41.14	1540	1605	23.76	26.31
Pančevo	2005/06.	2803	3258	8.63	6.60	278	278	44.86	38.96	1257	1269	16.02	16.66
	2006/07.	2966	3040	10.53	7.50	245	245	49.27	45.37	1461	1379		
	☒	2884	3149	9.58	7.05	262	262	47.07	42.17	1359	1324	16.02	16.66
Sombor	2005/06.	3610	2684	8.73	8.85	270	269	43.55	43.17	1572	1159	15.07	16.65
	2006/07.	4181	3337	12.38	13.63	254	251	43.80	41.50	1831	1385	8.11	12.88
	☒	3895	3011	10.55	11.24	262	260	43.72	42.34	1702	1272	11.59	14.77
☒	2005/06.	3125	3110	8.71	7.57	275	275	43.53	39.37	1359	1216	18.28	19.87
	2006/07.	3599	3559	10.30	9.45	252	251	47.74	44.39	1708	1585	8.11	12.88
☒ (2005/06-2006/07.)		3362 °	3335	9.50	8.51	264	263	45.63	41.88	1534	1400	15.74	18.13
d	0.05	110											
	0.01	195											
Cv		10.70											

Sadržaj eruka* kiselina (%)		
Godina	Hibrid 10	Standard
2005/06.	0.420	0.580
2006/07.	0.042	0.099
☒	0.231	0.340

* Sadržaj eruka kiselina određen je pre setve.

MORFOLOŠKE KARAKTERISTIKE I OTPORNOST PREMA BOLESTIMA

Lokalitet	Godina	Visina do prve bočne grane (cm)		Visina biljke (cm)		Pucanje ljuske (1-9)		Bolesti					
								Bela trulež (1-9)		Tamnomrka pegavost (1-9)		Suva trulež (1-9)	
		Hibrid 10	Triangle	Hibrid 10	Triangle	Hibrid 10	Triangle	Hibrid 10	Triangle	Hibrid 10	Triangle	Hibrid 10	Triangle
Novi Sad	2005/06.	63.9	64.4	153.5	161.5	1	1	2	2	3	3	3	3
	2006/07.	75.1	72.9	156.2	152.7	1	1	1	1	1	1	1	1
	☒	69.5	68.7	154.9	157.1	1.0	1.0	1.5	1.5	2.0	2.0	2.0	2.0
Pančevo	2005/06.	63.0	72.0	143.0	142.0	2	3	1	1	1	1	1	1
	2006/07.	26.0	32.0	152.0	160.0	1	3	1	1	1	1	1	1
	☒	44.5	52.0	147.5	151.0	1.5	3.0	1.0	1.0	1.0	1.0	1.0	1.0
Sombor	2005/06.	50.0	40.6	123.5	138.0			4	5			1	1
	2006/07.			165.2	156.2			2	2	1	1	1	1
	☒	50.0	40.6	144.4	147.1			3	4	1.0	1.0	1.0	1.0
☒ (2005/06-2006/07.)		55.6	56.4	148.9	151.7	1.3	2.0	1.8	2.0	1.4	1.4	1.3	1.3

Hibrid 11

Reg.broj 320-04-12361/2005-06

PROIZVODNE KARAKTERISTIKE SORTE

Lokalitet	Godina	Prinos zrna (kg/ha)		Sadržaj vlage (%)		Dužina vegetacije (dana)		Sadržaj ulja (%)		Prinos ulja (kg/ha)		Sadržaj glukozinolata (%)	
		Hibrid 11	Triangle	Hibrid 11	Triangle	Hibrid 11	Triangle	Hibrid 11	Triangle	Hibrid 11	Triangle	Hibrid 11	Triangle
Novi Sad	2005/06.	2909	3390	7.74	7.27	278	278	43.03	35.97	1252	1219	23.59	26.31
	2006/07.	3902	4300	7.38	7.23	258	258	48.90	46.31	1908	1991		
	☒	3405	3845	7.56	7.25	268	268	45.97	41.14	1580	1605	23.59	26.31
Pančevo	2005/06.	3189	3258	7.25	6.60	278	278	44.34	38.96	1414	1269	16.62	16.66
	2006/07.	2682	3040	7.93	7.50	245	245	48.34	45.37	1296	1379		
	☒	2935	3149	7.59	7.05	262	262	46.34	42.17	1355	1324	16.62	16.66
Sombor	2005/06.	3522	2684	8.65	8.85	269	269	44.52	43.17	1568	1159	15.97	16.65
	2006/07.	4240	3337	11.75	13.63	254	251	45.78	41.50	1941	1385	5.15	12.88
	☒	3881	3011	10.20	11.24	262	260	45.36	42.34	1755	1272	10.56	14.77
☒	2005/06.	3207	3110	7.88	7.57	275	275	43.96	39.37	1411	1216	18.73	19.87
	2006/07.	3608	3559	9.02	9.45	252	251	47.67	44.39	1715	1585	5.15	12.88
☒ (2005/06-2006/07.)		3407 °	3335	8.45	8.51	264	263	45.82	41.88	1563	1400	15.33	18.13
d	0.05	110											
	0.01	195											
Cv		10.70											

Sadržaj eruka* kiselina (%)		
Godina	Hibrid 11	Standard
2005/06.	0.450	0.580
2006/07.	0.041	0.099
☒	0.246	0.340

* Sadržaj eruka kiselina određen je pre setve.

MORFOLOŠKE KARAKTERISTIKE I OTPORNOST PREMA BOLESTIMA

Lokalitet	Godina	Visina do prve bočne grane (cm)		Visina biljke (cm)		Pucanje ljuske (1-9)		B o l e s t i					
								Bela trulež (1-9)		Tamnomrka pegavost (1-9)		Suva trulež (1-9)	
		Hibrid 11	Triangle	Hibrid 11	Triangle	Hibrid 11	Triangle	Hibrid 11	Triangle	Hibrid 11	Triangle	Hibrid 11	Triangle
Novi Sad	2005/06.	69.0	64.4	170.8	161.5	1	1	3	2	3	3	3	3
	2006/07.	84.3	72.9	178.2	152.7	1	1	1	1	1	1	1	1
	☒	76.7	68.7	174.5	157.1	1.0	1.0	2.0	1.5	2.0	2.0	2.0	2.0
Pančevo	2005/06.	73.0	72.0	148.0	142.0	3	3	1	1	1	1	1	1
	2006/07.	50.0	32.0	161.0	160.0	3	3	1	1	1	1	1	1
	☒	61.5	52.0	154.5	151.0	3.0	3.0	1.0	1.0	1.0	1.0	1.0	1.0
Sombor	2005/06.	58.0	40.6	144.0	138.0			4	5			2	1
	2006/07.			187.8	156.2			3	2	1	1	1	1
	☒	58.0	40.6	165.9	147.1			4	4	1.0	1.0	1.5	1.0
☒ (2005/06-2006/07.)		66.9	56.4	165.0	151.7	2.0	2.0	2.2	2.0	1.4	1.4	1.5	1.3

Hibrid 12

Reg.broj 320-04-12382/2005-06

PROIZVODNE KARAKTERISTIKE SORTE

Lokalitet	Godina	Prinos zrna (kg/ha)		Sadržaj vlage (%)		Dužina vegetacije (dana)		Sadržaj ulja (%)		Prinos ulja (kg/ha)		Sadržaj glukozinolata (%)	
		Hibrid 12	Triangle	Hibrid 12	Triangle	Hibrid 12	Triangle	Hibrid 12	Triangle	Hibrid 12	Triangle	Hibrid 12	Triangle
Novi Sad	2005/06.	2840	3390	7.31	7.27	278	278	43.49	35.97	1235	1219	25.37	26.31
	2006/07.	4181	4300	6.91	7.23	258	258	48.19	46.31	2015	1991		
	☒	3510	3845	7.11	7.25	268	268	45.84	41.14	1625	1605	25.37	26.31
Pančevo	2005/06.	3091	3258	8.13	6.60	278	278	44.00	38.96	1360	1269	16.35	16.66
	2006/07.	3447	3040	8.93	7.50	245	245	47.14	45.37	1625	1379		
	☒	3269	3149	8.53	7.05	262	262	45.57	42.17	1493	1324	16.35	16.66
Sombor	2005/06.	3915	2684	9.05	8.85	271	269	45.81	43.17	1793	1159	15.08	16.65
	2006/07.	3592	3337	11.63	13.63	251	251	45.00	41.50	1616	1385	19.45	12.88
	☒	3754	3011	10.34	11.24	261	260	45.27	42.34	1705	1272	17.27	14.77
☒	2005/06.	3282	3110	8.16	7.57	276	275	44.43	39.37	1463	1216	18.93	19.87
	2006/07.	3740	3559	9.15	9.45	251	251	46.77	44.39	1752	1585	19.45	12.88
☒ (2005/06-2006/07.)		3511 ⁺	3335	8.66	8.51	264	263	45.60	41.88	1607	1400	19.06	18.13
d	0.05	110											
	0.01	195											
Cv		10.70											

Sadržaj eruka* kiselina (%)		
Godina	Hibrid 12	Standard
2005/06.	0.480	0.580
2006/07.	0.041	0.099
☒	0.261	0.340

* Sadržaj eruka kiselina određen je pre setve.

MORFOLOŠKE KARAKTERISTIKE I OTPORNOST PREMA BOLESTIMA

Lokalitet	Godina	Visina do prve bočne grane (cm)		Visina biljke (cm)		Pucanje ljuške (1-9)		Bolesti					
								Bela trulež (1-9)		Tamnomrka pegavost (1-9)		Suva trulež (1-9)	
		Hibrid 12	Triangle	Hibrid 12	Triangle	Hibrid 12	Triangle	Hibrid 12	Triangle	Hibrid 12	Triangle	Hibrid 12	Triangle
Novi Sad	2005/06.	71.5	64.4	156.9	161.5	1	1	3	2	3	3	2	3
	2006/07.	71.4	72.9	173.0	152.7	1	1	1	1	1	1	1	1
	☒	71.5	68.7	165.0	157.1	1.0	1.0	2.0	1.5	2.0	2.0	1.5	2.0
Pančevo	2005/06.	65.0	72.0	136.0	142.0	3	3	1	1	1	1	1	1
	2006/07.	29.0	32.0	140.0	160.0	2	3	1	1	1	1	1	1
	☒	47.0	52.0	138.0	151.0	2.5	3.0	1.0	1.0	1.0	1.0	1.0	1.0
Sombor	2005/06.	33.3	40.6	125.9	138.0			2	5			1	1
	2006/07.			171.2	156.2			2	2	1	1	1	1
	☒	33.3	40.6	148.6	147.1			2	4	1.0	1.0	1.0	1.0
☒ (2005/06-2006/07.)		54.0	56.4	150.5	151.7	1.8	2.0	1.7	2.0	1.4	1.4	1.2	1.3

Hibrid 13

Reg.broj 320-04-12423/2005-06

PROIZVODNE KARAKTERISTIKE SORTE

Lokalitet	Godina	Prinos zrna (kg/ha)		Sadržaj vlage (%)		Dužina vegetacije (dana)		Sadržaj ulja (%)		Prinos ulja (kg/ha)		Sadržaj glukozinolata (%)	
		Hibrid 13	Triangle	Hibrid 13	Triangle	Hibrid 13	Triangle	Hibrid 13	Triangle	Hibrid 13	Triangle	Hibrid 13	Triangle
Novi Sad	2005/06.	2971	3390	7.14	7.27	278	278	44.62	35.97	1326	1219	25.35	26.31
	2006/07.	4041	4300	7.34	7.23	258	258	44.16	46.31	1784	1991		
	☒	3506	3845	7.24	7.25	268	268	44.39	41.14	1555	1605	25.35	26.31
Pančevo	2005/06.	2823	3258	7.65	6.60	278	278	44.71	38.96	1262	1269	16.02	16.66
	2006/07.	2951	3040	8.45	7.50	245	245	47.43	45.37	1400	1379		
	☒	2887	3149	8.05	7.05	262	262	46.07	42.17	1331	1324	16.02	16.66
Sombor	2005/06.	3319	2684	9.03	8.85	272	269	45.28	43.17	1503	1159	16.66	16.65
	2006/07.	3900	3337	10.25	13.63	249	251	44.87	41.50	1750	1385	9.10	12.88
	☒	3610	3011	9.64	11.24	261	260	45.00	42.34	1626	1272	12.88	14.77
☒	2005/06.	3038	3110	7.94	7.57	276	275	44.87	39.37	1364	1216	19.34	19.87
	2006/07.	3631	3559	8.68	9.45	251	251	45.49	44.39	1645	1585	9.10	12.88
☒ (2005/06-2006/07.)		3334 °	3335	8.31	8.51	263	263	45.18	41.88	1504	1400	16.78	18.13
d	0.05	110											
	0.01	195											
Cv		10.70											

Sadržaj eruka* kiselina (%)		
Godina	Hibrid 13	Standard
2005/06.	0.630	0.580
2006/07.	0.177	0.099
☒	0.404	0.340

* Sadržaj eruka kiselina određen je pre setve.

MORFOLOŠKE KARAKTERISTIKE I OTPORNOST PREMA BOLESTIMA

Lokalitet	Godina	Visina do prve bočne grane (cm)		Visina biljke (cm)		Pucanje ljuske (1-9)		Bolesti					
								Bela trulež (1-9)		Tamnomrka pegavost (1-9)		Suva trulež (1-9)	
		Hibrid 13	Triangle	Hibrid 13	Triangle	Hibrid 13	Triangle	Hibrid 13	Triangle	Hibrid 13	Triangle	Hibrid 13	Triangle
Novi Sad	2005/06.	68.9	64.4	162.0	161.5	1	1	3	2	3	3	2	3
	2006/07.	82.7	72.9	168.4	152.7	1	1	1	1	1	1	1	1
	☒	75.8	68.7	165.2	157.1	1.0	1.0	2.0	1.5	2.0	2.0	1.5	2.0
Pančevo	2005/06.	73.0	72.0	153.0	142.0	2	3	1	1	1	1	1	1
	2006/07.	62.0	32.0	162.0	160.0	2	3	1	1	1	1	1	1
	☒	67.5	52.0	157.5	151.0	2.0	3.0	1.0	1.0	1.0	1.0	1.0	1.0
Sombor	2005/06.	36.6	40.6	120.3	138.0			5	5			1	1
	2006/07.			175.0	156.2			1	2	1	1	1	1
	☒	36.6	40.6	147.7	147.1			3	4	1.0	1.0	1.0	1.0
☒ (2005/06-2006/07.)		64.6	56.4	156.8	151.7	1.5	2.0	2.0	2.0	1.4	1.4	1.2	1.3

Hibrid 14

Reg.broj 320-04-12422/2005-06

PROIZVODNE KARAKTERISTIKE SORTE

Lokalitet	Godina	Prinos zrna (kg/ha)		Sadržaj vlage (%)		Dužina vegetacije (dana)		Sadržaj ulja (%)		Prinos ulja (kg/ha)		Sadržaj glukozinolata (%)	
		Hibrid 14	Triangle	Hibrid 14	Triangle	Hibrid 14	Triangle	Hibrid 14	Triangle	Hibrid 14	Triangle	Hibrid 14	Triangle
Novi Sad	2005/06.	2661	3390	6.93	7.27	278	278	43.74	35.97	1164	1219	23.73	26.31
	2006/07.	3808	4300	7.29	7.23	258	258	48.36	46.31	1842	1991		
	☒	3235	3845	7.11	7.25	268	268	46.05	41.14	1503	1605	23.73	26.31
Pančevo	2005/06.	2988	3258	7.70	6.60	278	278	41.39	38.96	1237	1269	15.09	16.66
	2006/07.	3226	3040	8.95	7.50	245	245	46.99	45.37	1516	1379		
	☒	3107	3149	8.33	7.05	262	262	44.19	42.17	1376	1324	15.09	16.66
Sombor	2005/06.	3407	2684	9.00	8.85	270	269	44.54	43.17	1517	1159	15.06	16.65
	2006/07.	4994	3337	9.88	13.63	249	251	43.87	41.50	2191	1385	8.55	12.88
	☒	4200	3011	9.44	11.24	260	260	44.09	42.34	1854	1272	11.81	14.77
☒	2005/06.	3019	3110	7.88	7.57	275	275	43.22	39.37	1306	1216	17.96	19.87
	2006/07.	4009	3559	8.71	9.45	251	251	46.40	44.39	1849	1585	8.55	12.88
☒ (2005/06-2006/07.)		3514 *	3335	8.29	8.51	263	263	44.81	41.88	1578	1400	15.61	18.13
d	0.05	110											
	0.01	195											
Cv		10.70											

Sadržaj eruka* kiselina (%)		
Godina	Hibrid 14	Standard
2005/06.	0.490	0.580
2006/07.	0.153	0.099
☒	0.322	0.340

* Sadržaj eruka kiselina određen je pre setve.

MORFOLOŠKE KARAKTERISTIKE I OTPORNOST PREMA BOLESTIMA

Lokalitet	Godina	Visina do prve bočne grane (cm)		Visina biljke (cm)		Pucanje ljuske (1-9)		Bolesti					
								Bela trulež (1-9)		Tamnomrka pegavost (1-9)		Suva trulež (1-9)	
		Hibrid 14	Triangle	Hibrid 14	Triangle	Hibrid 14	Triangle	Hibrid 14	Triangle	Hibrid 14	Triangle	Hibrid 14	Triangle
Novi Sad	2005/06.	67.5	64.4	160.8	161.5	1	1	2	2	3	3	3	3
	2006/07.	70.0	72.9	156.0	152.7	1	1	1	1	1	1	1	1
	☒	68.8	68.7	158.4	157.1	1.0	1.0	1.5	1.5	2.0	2.0	2.0	2.0
Pančevo	2005/06.	75.0	72.0	145.0	142.0	6	3	1	1	1	1	1	1
	2006/07.	50.0	32.0	162.0	160.0	3	3	1	1	1	1	1	1
	☒	62.5	52.0	153.5	151.0	4.5	3.0	1.0	1.0	1.0	1.0	1.0	1.0
Sombor	2005/06.	42.1	40.6	145.2	138.0			4	5			1	1
	2006/07.			190.8	156.2			2	2	1	1	1	1
	☒	42.1	40.6	168.0	147.1			3	4	1.0	1.0	1.0	1.0
☒ (2005/06-2006/07.)		60.9	56.4	160.0	151.7	2.8	2.0	1.8	2.0	1.4	1.4	1.3	1.3

Hibrid 15

Reg.broj 320-04-12426/2005-06

PROIZVODNE KARAKTERISTIKE SORTE

Lokalitet	Godina	Prinos zrna (kg/ha)		Sadržaj vlage (%)		Dužina vegetacije (dana)		Sadržaj ulja (%)		Prinos ulja (kg/ha)		Sadržaj glukozinolata (%)	
		Hibrid 15	Triangle	Hibrid 15	Triangle	Hibrid 15	Triangle	Hibrid 15	Triangle	Hibrid 15	Triangle	Hibrid 15	Triangle
Novi Sad	2005/06.	2446	3390	6.85	7.27	278	278	40.20	35.97	983	1219	23.73	26.31
	2006/07.	4155	4300	7.17	7.23	258	258	47.95	46.31	1992	1991		
	☒	3300	3845	7.01	7.25	268	268	44.08	41.14	1488	1605	23.73	26.31
Pančevo	2005/06.	3631	3258	7.90	6.60	278	278	44.62	38.96	1620	1269	16.65	16.66
	2006/07.	3537	3040	8.95	7.50	245	245	46.63	45.37	1649	1379		
	☒	3584	3149	8.43	7.05	262	262	45.63	42.17	1635	1324	16.65	16.66
Sombor	2005/06.	2703	2684	9.28	8.85	269	269	42.18	43.17	1140	1159	19.11	16.65
	2006/07.	4414	3337	9.25	13.63	249	251	44.43	41.50	1961	1385	16.77	12.88
	☒	3558	3011	9.26	11.24	259	260	43.68	42.34	1550	1272	17.94	14.77
☒	2005/06.	2927	3110	8.01	7.57	275	275	42.33	39.37	1248	1216	19.83	19.87
	2006/07.	4035	3559	8.46	9.45	251	251	46.34	44.39	1867	1585	16.77	12.88
☒ (2005/06-2006/07.)		3481 ⁺	3335	8.23	8.51	263	263	44.33	41.88	1558	1400	19.07	18.13
d	0.05	110											
	0.01	195											
Cv		10.70											

Sadržaj eruka* kiselina (%)		
Godina	Hibrid 15	Standard
2005/06.	0.440	0.580
2006/07.	0.003	0.099
☒	0.222	0.340

* Sadržaj eruka kiselina određen je pre setve.

MORFOLOŠKE KARAKTERISTIKE I OTPORNOST PREMA BOLESTIMA

Lokalitet	Godina	Visina do prve bočne grane (cm)		Visina biljke (cm)		Pucanje ljuske (1-9)		Bolesti					
								Bela trulež (1-9)		Tamnomrka pegavost (1-9)		Suva trulež (1-9)	
		Hibrid 15	Triangle	Hibrid 15	Triangle	Hibrid 15	Triangle	Hibrid 15	Triangle	Hibrid 15	Triangle	Hibrid 15	Triangle
Novi Sad	2005/06.	67.1	64.4	160.8	161.5		1	2	2	3	3	2	3
	2006/07.	68.9	72.9	164.7	152.7		1	1	1	1	1	1	1
	☒	68.0	68.7	162.8	157.1		1.0	1.5	1.5	2.0	2.0	1.5	2.0
Pančevo	2005/06.	52.0	72.0	138.0	142.0	1	3	1	1	1	1	1	1
	2006/07.	28.0	32.0	170.0	160.0	1	3	1	1	1	1	1	1
	☒	40.0	52.0	154.0	151.0	1.0	3.0	1.0	1.0	1.0	1.0	1.0	1.0
Sombor	2005/06.	40.3	40.6	134.0	138.0			4	5			1	1
	2006/07.			181.0	156.2			3	2	1	1	1	1
	☒	40.3	40.6	157.5	147.1			4	4	1.0	1.0	1.0	1.0
☒ (2005/06-2006/07.)		51.3	56.4	158.1	151.7	1.0	2.0	2.0	2.0	1.4	1.4	1.2	1.3

Sorta 16

Reg.broj 320-04-523/2007-08

REZULTATI ISPITIVANJA JARE ULJANE REPICE

Lokalitet	Godina	Prinos zrna (kg/ha)	Sadržaj vlage (%)	Dužina vegetacije (dana)	Sadržaj ulja (%)	Prinos ulja (kg/ha)	Sadržaj glukozi-nolata (%)	Visina do prve bočne grane (cm)	Visina biljke (cm)	Pucanje ljuške (1-9)	Bolesti		
											Bela trulež (1-9)	Tamno-mrka pegavost (1-9)	Suva trulež (1-9)
Novi Sad	2007	836	7.03	123	39.06	327		47.7	114.5	1	1	1	1
Pančevo	2007	1082	14.68	110	38.85	420		33.0	104.0	1	1	1	1
Sombor	2007	840	9.75	107	35.25	296	16.89	34.0	123.0		1	1	1
☒		920	10.49	113	37.72	348	16.89	38.2	113.8	1	1	1	1

Sadržaj eruka* kiselina (%)	
2007	0.442

* Sadržaj eruka kiselina određen je pre setve.

Sorta 17

Reg.broj 320-04-522/2007-08

REZULTATI ISPITIVANJA JARE ULJANE REPICE

Lokalitet	Godina	Prinos zrna (kg/ha)	Sadržaj vlage (%)	Dužina vegetacije (dana)	Sadržaj ulja (%)	Prinos ulja (kg/ha)	Sadržaj glukozi-nolata (%)	Visina do prve bočne grane (cm)	Visina biljke (cm)	Pucanje ljuške (1-9)	Bolesti		
											Bela trulež (1-9)	Tamno-mrka pegavost (1-9)	Suva trulež (1-9)
Novi Sad	2007	917	7.07	123	37.87	347		42.1	107.6	1	1	1	1
Pančevo	2007	917	10.70	110	37.76	346		29.0	100.0	1	1	1	1
Sombor	2007	1165	10.45	107	35.79	417	8.89	37.8	132.3		1	1	1
☒		1000	9.41	113	37.14	370	8.89	36.3	113.3	1	1	1	1

Sadržaj eruka* kiselina (%)	
2007	0.351

* Sadržaj eruka kiselina određen je pre setve.

Hibrid 18

Reg.broj 320-04-1680/2007-08

REZULTATI ISPITIVANJA JARE ULJANE REPICE

Lokalitet	Godina	Prinos zrna (kg/ha)	Sadržaj vlage (%)	Dužina vegetacije (dana)	Sadržaj ulja (%)	Prinos ulja (kg/ha)	Sadržaj glukozi-nolata (%)	Visina do prve bočne grane (cm)	Visina biljke (cm)	Pucanje ljuške (1-9)	Bolesti		
											Bela trulež (1-9)	Tamno-mrka pegavost (1-9)	Suva trulež (1-9)
Novi Sad	2007	956	7.00	121	39.65	379		75.8	133.0	1	1	1	1
Pančevo	2007	847	7.13	113	39.17	332		41.0	141.0	1	1	1	1
Sombor	2007	963	10.38	111	37.06	357	9.56	46.3	165.5		1	1	1
☒		922	8.17	115	38.63	356	9.56	54.3	146.5	1	1	1	1

Sadržaj eruka* kiselina (%)	
2007	0.111

* Sadržaj eruka kiselina određen je pre setve.

Hibrid 19

Reg.broj 320-04-1679/2007-08

REZULTATI ISPITIVANJA JARE ULJANE REPICE

Lokalitet	Godina	Prinos zrna (kg/ha)	Sadržaj vlage (%)	Dužina vegetacije (dana)	Sadržaj ulja (%)	Prinos ulja (kg/ha)	Sadržaj glukozi-nolata (%)	Visina do prve bočne grane (cm)	Visina biljke (cm)	Pucanje ljuške (1-9)	Bolesti		
											Bela trulež (1-9)	Tamno-mrka pegavost (1-9)	Suva trulež (1-9)
Novi Sad	2007	1062	6.62	121	40.77	433		69.6	130.4	1	1	1	1
Pančevo	2007	1556	19.25	110	39.09	608		40.0	105.0	1	1	1	1
Sombor	2007	1614	11.00	111	36.04	582	10.50	41.0	136.8		1	1	1
☒		1411	12.29	114	38.63	541	10.50	50.2	124.0	1	1	1	1

Sadržaj eruka* kiselina (%)	
2007	0.590

* Sadržaj eruka kiselina određen je pre setve.