

Sorta 1Reg.br. 320-09-718/2005-06**PROIZVODNE KARAKTERISTIKE SORTE**

Tabela 1.

| Lokalitet | Godina | Prinos zrna (kg/ha) | | Sadržaj sirovih proteina (na s.m.) | | Sadržaj sirovog ulja (na s.m.) | | Sadržaj vlage u zrnu (%) | | Dužina vegetacije (dana) | |
|-------------------|--------|---------------------|--------|------------------------------------|--------|--------------------------------|--------|--------------------------|--------|--------------------------|--------|
| | | Sorta 1 | Jelica | Sorta 1 | Jelica | Sorta 1 | Jelica | Sorta 1 | Jelica | Sorta 1 | Jelica |
| Karavukovo | 2005 | 4295 | 3763 | 35.2 | 34.8 | 18.3 | 19.1 | 15.3 | 15.7 | 118 | 121 |
| | 2006 | 3573 | 3610 | 34.8 | 33.3 | 19.5 | 22.0 | 11.7 | 11.8 | 121 | 119 |
| | ☒ | 3934 | 3686 | 35.0 | 34.1 | 18.9 | 20.5 | 13.5 | 13.8 | 120 | 120 |
| Novi Sad | 2005 | 4823 | 3859 | 36.1 | 35.9 | 19.8 | 21.6 | 6.3 | 6.2 | 130 | 125 |
| | 2006 | 4073 | 3111 | 38.1 | 36.0 | 19.3 | 22.0 | 8.3 | 7.6 | 124 | 123 |
| | ☒ | 4448 | 3485 | 37.1 | 36.0 | 19.5 | 21.8 | 7.3 | 6.9 | 127 | 124 |
| Pančevo | 2005 | 3625 | 3391 | 34.8 | 35.2 | 19.5 | 20.9 | 12.0 | 10.9 | 122 | 122 |
| | 2006 | 4314 | 3669 | 32.8 | 31.0 | 20.9 | 23.3 | 12.9 | 13.1 | 140 | 140 |
| | ☒ | 3969 | 3530 | 33.8 | 33.1 | 20.2 | 22.1 | 12.5 | 12.0 | 131 | 131 |
| Sremska Mitrovica | 2005 | 5730 | 4715 | 35.6 | 35.9 | 19.3 | 19.3 | 13.2 | 12.9 | 124 | 124 |
| | 2006 | 4220 | 3773 | 35.5 | 34.3 | 20.4 | 21.5 | 8.1 | 7.9 | 122 | 121 |
| | ☒ | 4975 | 4244 | 35.5 | 35.1 | 19.8 | 20.4 | 10.7 | 10.4 | 123 | 123 |
| Sombor | 2005 | 4173 | 2948 | 33.3 | 33.6 | 20.4 | 21.5 | 11.1 | 10.4 | 128 | 123 |
| | 2006 | 3335 | 3045 | 33.6 | 32.3 | 20.2 | 21.9 | 11.7 | 12.6 | 131 | 127 |
| | ☒ | 3754 | 2996 | 33.5 | 32.9 | 20.3 | 21.7 | 11.4 | 11.5 | 130 | 125 |
| ☒ | 2005 | 4529 | 3735 | 35.0 | 35.1 | 19.4 | 20.5 | 11.6 | 11.2 | 124 | 123 |
| | 2006 | 3903 | 3442 | 34.9 | 33.4 | 20.1 | 22.1 | 10.5 | 10.6 | 128 | 126 |
| ☒ (2005-2006.) | | 4216 ⁺⁺ | 3588 | 35.0 | 34.2 | 19.7 | 21.3 | 11.1 | 10.9 | 126 | 125 |
| d | | 0.05 | 142 | | | | | | | | |
| | | 0.01 | 189 | | | | | | | | |
| Cv | | 8.12 | | | | | | | | | |

BIOLOŠKE OSOBINE SORTE

Tabela 2.

| Lokalitet | Godina | Visina biljke (cm) | | Visina do prve mahune (cm) | | Poleganje (0-5) | | Pucanje mahune (%) | | Masa 1000 zrna (g) | |
|-------------------|--------|--------------------|--------|----------------------------|--------|-----------------|--------|--------------------|--------|--------------------|--------|
| | | Sorta 1 | Jelica | Sorta 1 | Jelica | Sorta 1 | Jelica | Sorta 1 | Jelica | Sorta 1 | Jelica |
| Karavukovo | 2005 | 120.0 | 127.5 | 20.0 | 19.5 | 2.0 | 3.0 | 0.0 | 0.0 | 185.0 | 200.0 |
| | 2006 | 95.5 | 89.6 | 10.0 | 12.6 | 1.0 | 1.0 | 0.0 | 0.0 | 159.2 | 175.4 |
| | ☒ | 107.8 | 108.6 | 15.0 | 16.1 | 1.5 | 2.0 | 0.0 | 0.0 | 172.1 | 187.7 |
| Novi Sad | 2005 | 112.0 | 105.0 | 15.0 | 17.0 | 1.0 | 1.0 | 0.0 | 0.0 | 147.0 | 182.0 |
| | 2006 | 94.0 | 91.0 | 13.0 | 14.0 | 1.0 | 1.0 | 0.0 | 0.0 | 157.0 | 172.0 |
| | ☒ | 103.0 | 98.0 | 14.0 | 15.5 | 1.0 | 1.0 | 0.0 | 0.0 | 152.0 | 177.0 |
| Pančevo | 2005 | 85.0 | 85.0 | 10.0 | 15.0 | 0.0 | 0.0 | 0.0 | 0.0 | 195.0 | 180.0 |
| | 2006 | | | 10.0 | 9.0 | 0.0 | 0.0 | 0.0 | 0.0 | 142.6 | 158.0 |
| | ☒ | 85.0 | 85.0 | 10.0 | 12.0 | 0.0 | 0.0 | 0.0 | 0.0 | 168.8 | 169.0 |
| Sremska Mitrovica | 2005 | 117.0 | 123.0 | 15.0 | 13.0 | 4.0 | 4.0 | 0.0 | 0.0 | 197.7 | 200.5 |
| | 2006 | | | 13.0 | 13.0 | 0.0 | 0.0 | 0.0 | 0.0 | 160.9 | 166.0 |
| | ☒ | 117.0 | 123.0 | 14.0 | 13.0 | 2.0 | 2.0 | 0.0 | 0.0 | 179.3 | 183.3 |
| Sombor | 2005 | 123.6 | 115.0 | 9.4 | 11.6 | 1.0 | 1.0 | 0.0 | 0.0 | 150.2 | 169.6 |
| | 2006 | 92.6 | 87.0 | 11.2 | 14.0 | 1.0 | 1.0 | 0.0 | 0.0 | 149.2 | 161.9 |
| | ☒ | 108.1 | 101.0 | 10.3 | 12.8 | 1.0 | 1.0 | 0.0 | 0.0 | 149.7 | 165.8 |
| ☒ (2005-2006.) | | 105.0 | 102.9 | 12.7 | 13.9 | 1.1 | 1.2 | 0.0 | 0.0 | 164.4 | 176.5 |

OTPORNOST PREMA BOLESTIMA

Tabela 3.

| Lokalitet | Godina | Ocena (1-9) | | | | Procenat zaraze | | | | | |
|-------------------|--------|-------------|--------|----------------------|--------|-----------------|--------|---------------|--------|---------|--------|
| | | Plamenjača | | Bakteriozna pegavost | | Bela trulež | | Crna pegavost | | Viroze | |
| | | Sorta 1 | Jelica | Sorta 1 | Jelica | Sorta 1 | Jelica | Sorta 1 | Jelica | Sorta 1 | Jelica |
| Karavukovo | 2005 | 1.0 | 1.0 | 2.0 | 1.0 | 0.0 | 0.0 | 5.0 | 15.0 | 0.0 | 0.0 |
| | 2006 | 1.0 | 1.0 | 1.0 | 1.0 | 0.0 | 0.0 | 2.0 | 0.0 | 0.0 | 0.0 |
| | ☒ | 1.0 | 1.0 | 1.5 | 1.0 | 0.0 | 0.0 | 3.5 | 7.5 | 0.0 | 0.0 |
| Novi Sad | 2005 | 2.0 | 2.0 | 1.0 | 1.0 | | | | | | |
| | 2006 | 2.0 | 3.0 | 1.0 | 2.0 | | | | | | |
| | ☒ | 2.0 | 2.5 | 1.0 | 1.5 | | | | | | |
| Pančevo | 2005 | 2.0 | 1.0 | 1.0 | 1.0 | 2.0 | 2.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | 2006 | 2.0 | 1.0 | 2.0 | 2.0 | 1.0 | 2.0 | 1.0 | 0.0 | 0.0 | 0.0 |
| | ☒ | 2.0 | 1.0 | 1.5 | 1.5 | 1.5 | 2.0 | 0.5 | 0.0 | 0.0 | 0.0 |
| Sremska Mitrovica | 2005 | 2.0 | 2.0 | 1.0 | 1.0 | 2.0 | 3.0 | 5.0 | 15.0 | 0.0 | 0.0 |
| | 2006 | 2.0 | 2.0 | 2.0 | 2.0 | 0.0 | 0.0 | 3.0 | 3.0 | 0.0 | 0.0 |
| | ☒ | 2.0 | 2.0 | 1.5 | 1.5 | 1.0 | 1.5 | 4.0 | 9.0 | 0.0 | 0.0 |
| Sombor | 2005 | 1.0 | 1.0 | 2.0 | 1.0 | 0.0 | 0.0 | 7.0 | 20.0 | 0.0 | 0.0 |
| | 2006 | 1.0 | 1.0 | 1.0 | 1.0 | 0.0 | 0.0 | 2.0 | 0.0 | 0.0 | 0.0 |
| | ☒ | 1.0 | 1.0 | 1.5 | 1.0 | 0.0 | 0.0 | 4.5 | 10.0 | 0.0 | 0.0 |
| ☒ (2005-2006.) | | 1.6 | 1.5 | 1.4 | 1.3 | 0.6 | 0.9 | 3.1 | 6.6 | 0.0 | 0.0 |

Sorta 2Reg.br. 320-09-789/2005-06**PROIZVODNE KARAKTERISTIKE SORTE**

Tabela 1.

| Lokalitet | Godina | Prinos zrna (kg/ha) | | Sadržaj sirovih proteina (na s.m.) | | Sadržaj sirovog ulja (na s.m.) | | Sadržaj vlage u zrnu (%) | | Dužina vegetacije (dana) | |
|-------------------|--------|---------------------|----------|------------------------------------|----------|--------------------------------|----------|--------------------------|----------|--------------------------|----------|
| | | Sorta 2 | Afrodita | Sorta 2 | Afrodita | Sorta 2 | Afrodita | Sorta 2 | Afrodita | Sorta 2 | Afrodita |
| Karavukovo | 2005 | 4183 | 3765 | 34.0 | 35.1 | 18.7 | 18.1 | 14.7 | 15.7 | 140 | 138 |
| | 2006 | 4813 | 4723 | 33.8 | 34.6 | 19.2 | 19.7 | 11.5 | 12.5 | 129 | 128 |
| | ☒ | 4498 | 4244 | 33.9 | 34.8 | 18.9 | 18.9 | 13.1 | 14.1 | 135 | 133 |
| Novi Sad | 2005 | 5024 | 4861 | 34.8 | 36.3 | 19.9 | 19.3 | 7.2 | 6.4 | 143 | 138 |
| | 2006 | 3826 | 3835 | 36.3 | 36.1 | 18.8 | 20.2 | 9.0 | 8.4 | 130 | 130 |
| | ☒ | 4425 | 4348 | 35.6 | 36.2 | 19.4 | 19.8 | 8.1 | 7.4 | 137 | 134 |
| Pančevo | 2005 | 3138 | 3607 | 32.4 | 32.5 | 19.6 | 20.6 | 15.1 | 13.6 | 133 | 127 |
| | 2006 | 4372 | 4515 | 32.4 | 33.0 | 20.4 | 20.8 | 11.9 | 13.1 | 141 | 144 |
| | ☒ | 3755 | 4061 | 32.4 | 32.8 | 20.0 | 20.7 | 13.5 | 13.4 | 137 | 136 |
| Sremska Mitrovica | 2005 | 4383 | 5168 | 35.6 | 36.3 | 18.6 | 18.6 | 12.5 | 11.8 | 145 | 140 |
| | 2006 | 4230 | 4468 | 33.9 | 34.1 | 19.3 | 20.0 | 12.9 | 12.6 | 127 | 127 |
| | ☒ | 4306 | 4818 | 34.7 | 35.2 | 18.9 | 19.3 | 12.7 | 12.2 | 136 | 134 |
| Sombor | 2005 | 3505 | 4210 | 34.5 | 31.3 | 19.4 | 21.5 | 11.5 | 10.9 | 145 | 139 |
| | 2006 | 3115 | 3700 | 31.8 | 30.9 | 20.4 | 21.3 | 11.8 | 13.3 | 138 | 136 |
| | ☒ | 3310 | 3955 | 33.2 | 31.1 | 19.9 | 21.4 | 11.7 | 12.1 | 142 | 138 |
| ☒ | 2005 | 4046 | 4322 | 34.2 | 34.3 | 19.2 | 19.6 | 12.2 | 11.7 | 141 | 136 |
| | 2006 | 4071 | 4248 | 33.7 | 33.7 | 19.6 | 20.4 | 11.4 | 12.0 | 133 | 133 |
| ☒ (2005-2006.) | | 4059 | 4285 | 33.9 | 34.0 | 19.4 | 20.0 | 11.8 | 11.8 | 137 | 135 |
| d | | 164 | | | | | | | | | |
| 0.05 | | | | | | | | | | | |
| 0.01 | | 207 | | | | | | | | | |
| Cv | | 8.06 | | | | | | | | | |

BIOLOŠKE OSOBINE SORTE

Tabela 2.

| Lokalitet | Godina | Visina biljke (cm) | | Visina do prve mahune (cm) | | Poleganje (0-5) | | Pucanje mahune (%) | | Masa 1000 zrna (g) | |
|-------------------|--------|--------------------|----------|----------------------------|----------|-----------------|----------|--------------------|----------|--------------------|----------|
| | | Sorta 2 | Afrodita | Sorta 2 | Afrodita | Sorta 2 | Afrodita | Sorta 2 | Afrodita | Sorta 2 | Afrodita |
| Karavukovo | 2005 | 142.5 | 120.5 | 25.0 | 17.5 | 2.0 | 1.0 | 0.0 | 0.0 | 210.0 | 192.0 |
| | 2006 | 113.8 | 93.9 | 10.9 | 13.7 | 1.0 | 1.0 | 0.0 | 0.0 | 186.0 | 181.0 |
| | ☒ | 128.2 | 107.2 | 18.0 | 15.6 | 1.5 | 1.0 | 0.0 | 0.0 | 198.0 | 186.5 |
| Novi Sad | 2005 | 129.0 | 113.0 | 16.0 | 15.0 | 3.0 | 2.0 | 0.0 | 0.0 | 214.0 | 194.0 |
| | 2006 | 98.0 | 98.0 | 16.0 | 16.0 | 1.0 | 2.0 | 0.0 | 0.0 | 209.0 | 188.0 |
| | ☒ | 113.5 | 105.5 | 16.0 | 15.5 | 2.0 | 2.0 | 0.0 | 0.0 | 211.5 | 191.0 |
| Pančevo | 2005 | 115.0 | 105.0 | 10.0 | 10.0 | 1.0 | 0.0 | 0.0 | 0.0 | 180.0 | 191.0 |
| | 2006 | | | 17.0 | 14.0 | 0.0 | 0.0 | 0.0 | 0.0 | 200.7 | 175.2 |
| | ☒ | 115.0 | 105.0 | 13.5 | 12.0 | 0.5 | 0.0 | 0.0 | 0.0 | 190.4 | 183.1 |
| Sremska Mitrovica | 2005 | 129.0 | 128.0 | 22.0 | 23.0 | 2.0 | 3.0 | 0.0 | 0.0 | 209.5 | 204.1 |
| | 2006 | | | 16.0 | 15.0 | 0.0 | 0.0 | 0.0 | 0.0 | 210.3 | 207.5 |
| | ☒ | 129.0 | 128.0 | 19.0 | 19.0 | 1.0 | 1.5 | 0.0 | 0.0 | 209.9 | 205.8 |
| Sombor | 2005 | 135.8 | 128.6 | 13.4 | 12.4 | 2.0 | 1.0 | 0.0 | 0.0 | 209.2 | 165.8 |
| | 2006 | 103.8 | 95.0 | 18.0 | 17.6 | 1.0 | 1.0 | 0.0 | 0.0 | 178.9 | 161.8 |
| | ☒ | 119.8 | 111.8 | 15.7 | 15.0 | 1.5 | 1.0 | 0.0 | 0.0 | 194.1 | 163.8 |
| ☒ (2005-2006.) | | 120.9 | 110.3 | 16.4 | 15.4 | 1.3 | 1.1 | 0.0 | 0.0 | 200.8 | 186.0 |

OTPORNOST PREMA BOLESTIMA

Tabela 3.

| Lokalitet | Godina | Ocena (1-9) | | | | Procenat zaraze | | | | | |
|-------------------|--------|-------------|----------|----------------------|----------|-----------------|----------|---------------|----------|---------|----------|
| | | Plamenjača | | Bakteriozna pegavost | | Bela trulež | | Crna pegavost | | Viroze | |
| | | Sorta 2 | Afrodita | Sorta 2 | Afrodita | Sorta 2 | Afrodita | Sorta 2 | Afrodita | Sorta 2 | Afrodita |
| Karavukovo | 2005 | 1.0 | 1.0 | 3.0 | 2.0 | 0.0 | 10.0 | 3.0 | 5.0 | 0.0 | 0.0 |
| | 2006 | 1.0 | 1.0 | 1.0 | 1.0 | 0.0 | 0.0 | 0.0 | 3.0 | 0.0 | 0.0 |
| | ☒ | 1.0 | 1.0 | 2.0 | 1.5 | 0.0 | 5.0 | 1.5 | 4.0 | 0.0 | 0.0 |
| Novi Sad | 2005 | 1.0 | 2.0 | 2.0 | 1.0 | | | | | | |
| | 2006 | 1.0 | 3.0 | 3.0 | 2.0 | | | | | | |
| | ☒ | 1.0 | 2.5 | 2.5 | 1.5 | | | | | | |
| Pančevo | 2005 | 1.0 | 2.0 | 2.0 | 1.0 | 5.0 | 2.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | 2006 | 2.0 | 1.0 | 1.0 | 0.0 | 2.0 | 2.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | ☒ | 1.5 | 1.5 | 1.5 | 0.5 | 3.5 | 2.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Sremska Mitrovica | 2005 | 1.0 | 2.0 | 2.0 | 1.0 | 10.0 | 10.0 | 5.0 | 5.0 | 0.0 | 0.0 |
| | 2006 | 2.0 | 2.0 | 2.0 | 3.0 | 0.0 | 0.0 | 2.0 | 3.0 | 0.0 | 0.0 |
| | ☒ | 1.5 | 2.0 | 2.0 | 2.0 | 5.0 | 5.0 | 3.5 | 4.0 | 0.0 | 0.0 |
| Sombor | 2005 | 1.0 | 1.0 | 4.0 | 2.0 | 0.0 | 20.0 | 5.0 | 5.0 | 0.0 | 0.0 |
| | 2006 | 1.0 | 1.0 | 1.0 | 1.0 | 0.0 | 0.0 | 0.0 | 2.0 | 0.0 | 0.0 |
| | ☒ | 1.0 | 1.0 | 2.5 | 1.5 | 0.0 | 10.0 | 2.5 | 3.5 | 0.0 | 0.0 |
| ☒ (2005-2006.) | | 1.2 | 1.6 | 2.1 | 1.4 | 2.1 | 5.5 | 1.9 | 2.9 | 0.0 | 0.0 |

Sorta 3**Reg.br. 320-09-790/2005-06****PROIZVODNE KARAKTERISTIKE SORTE**

Tabela 1.

| Lokalitet | Godina | Prinos zrna (kg/ha) | | Sadržaj sirovih proteina (na s.m.) | | Sadržaj sirovog ulja (na s.m.) | | Sadržaj vlage u zrnu (%) | | Dužina vegetacije (dana) | |
|-------------------|--------|---------------------|----------|------------------------------------|----------|--------------------------------|----------|--------------------------|----------|--------------------------|----------|
| | | Sorta 3 | Afrodita | Sorta 3 | Afrodita | Sorta 3 | Afrodita | Sorta 3 | Afrodita | Sorta 3 | Afrodita |
| Karavukovo | 2005 | 3323 | 3765 | 34.1 | 35.1 | 19.0 | 18.1 | 15.6 | 15.7 | 138 | 138 |
| | 2006 | 3635 | 4723 | 33.9 | 34.6 | 20.2 | 19.7 | 11.6 | 12.5 | 126 | 128 |
| | ☒ | 3479 | 4244 | 34.0 | 34.8 | 19.6 | 18.9 | 13.6 | 14.1 | 132 | 133 |
| Novi Sad | 2005 | 4116 | 4861 | 36.2 | 36.3 | 20.0 | 19.3 | 5.9 | 6.4 | 142 | 138 |
| | 2006 | 3297 | 3835 | 36.3 | 36.1 | 20.9 | 20.2 | 8.7 | 8.4 | 124 | 130 |
| | ☒ | 3707 | 4348 | 36.2 | 36.2 | 20.4 | 19.8 | 7.3 | 7.4 | 133 | 134 |
| Pančevo | 2005 | 3033 | 3607 | 32.9 | 32.5 | 21.7 | 20.6 | 11.0 | 13.6 | 127 | 127 |
| | 2006 | 4206 | 4515 | 31.4 | 33.0 | 22.2 | 20.8 | 13.0 | 13.1 | 142 | 144 |
| | ☒ | 3620 | 4061 | 32.2 | 32.8 | 22.0 | 20.7 | 12.0 | 13.4 | 135 | 136 |
| Sremska Mitrovica | 2005 | 4765 | 5168 | 36.2 | 36.3 | 18.9 | 18.6 | 12.0 | 11.8 | 142 | 140 |
| | 2006 | 3693 | 4468 | 33.5 | 34.1 | 20.6 | 20.0 | 13.1 | 12.6 | 125 | 127 |
| | ☒ | 4229 | 4818 | 34.8 | 35.2 | 19.8 | 19.3 | 12.6 | 12.2 | 134 | 134 |
| Sombor | 2005 | 3233 | 4210 | 34.8 | 31.3 | 19.8 | 21.5 | 11.3 | 10.9 | 140 | 139 |
| | 2006 | 2990 | 3700 | 33.1 | 30.9 | 20.8 | 21.3 | 12.5 | 13.3 | 133 | 136 |
| | ☒ | 3111 | 3955 | 33.9 | 31.1 | 20.3 | 21.4 | 11.9 | 12.1 | 137 | 138 |
| ☒ | 2005 | 3694 | 4322 | 34.8 | 34.3 | 19.9 | 19.6 | 11.2 | 11.7 | 138 | 136 |
| | 2006 | 3564 | 4248 | 33.6 | 33.7 | 20.9 | 20.4 | 11.8 | 12.0 | 130 | 133 |
| ☒ (2005-2006.) | | 3629 | 4285 | 34.2 | 34.0 | 20.4 | 20.0 | 11.5 | 11.8 | 134 | 135 |
| d | 0.05 | 164 | | | | | | | | | |
| | 0.01 | 207 | | | | | | | | | |
| Cv | | 8.06 | | | | | | | | | |

BIOLOŠKE OSOBINE SORTE

Tabela 2.

| Lokalitet | Godina | Visina biljke (cm) | | Visina do prve mahune (cm) | | Poleganje (0-5) | | Pucanje mahune (%) | | Masa 1000 zrna (g) | |
|-------------------|--------|--------------------|----------|----------------------------|----------|-----------------|----------|--------------------|----------|--------------------|----------|
| | | Sorta 3 | Afrodita | Sorta 3 | Afrodita | Sorta 3 | Afrodita | Sorta 3 | Afrodita | Sorta 3 | Afrodita |
| Karavukovo | 2005 | 135.0 | 120.5 | 21.0 | 17.5 | 2.0 | 1.0 | 0.0 | 0.0 | 197.0 | 192.0 |
| | 2006 | 109.4 | 93.9 | 12.6 | 13.7 | 1.0 | 1.0 | 0.0 | 0.0 | 189.0 | 181.0 |
| | ☒ | 122.2 | 107.2 | 16.8 | 15.6 | 1.5 | 1.0 | 0.0 | 0.0 | 193.0 | 186.5 |
| Novi Sad | 2005 | 125.0 | 113.0 | 13.0 | 15.0 | 3.0 | 2.0 | 0.0 | 0.0 | 189.0 | 194.0 |
| | 2006 | 107.0 | 98.0 | 15.0 | 16.0 | 2.0 | 2.0 | 0.0 | 0.0 | 188.0 | 188.0 |
| | ☒ | 116.0 | 105.5 | 14.0 | 15.5 | 2.5 | 2.0 | 0.0 | 0.0 | 188.5 | 191.0 |
| Pančevo | 2005 | 85.0 | 105.0 | 5.0 | 10.0 | 1.0 | 0.0 | 0.0 | 0.0 | 175.0 | 191.0 |
| | 2006 | | | 15.0 | 14.0 | 0.0 | 0.0 | 0.0 | 0.0 | 180.0 | 175.2 |
| | ☒ | 85.0 | 105.0 | 10.0 | 12.0 | 0.5 | 0.0 | 0.0 | 0.0 | 177.5 | 183.1 |
| Sremska Mitrovica | 2005 | 136.0 | 128.0 | 14.0 | 23.0 | 4.0 | 3.0 | 0.0 | 0.0 | 202.7 | 204.1 |
| | 2006 | | | 16.0 | 15.0 | 1.0 | 0.0 | 0.0 | 0.0 | 197.4 | 207.5 |
| | ☒ | 136.0 | 128.0 | 15.0 | 19.0 | 2.5 | 1.5 | 0.0 | 0.0 | 200.1 | 205.8 |
| Sombor | 2005 | 130.2 | 128.6 | 10.2 | 12.4 | 1.0 | 1.0 | 0.0 | 0.0 | 191.4 | 165.8 |
| | 2006 | 90.6 | 95.0 | 17.8 | 17.6 | 1.0 | 1.0 | 0.0 | 0.0 | 172.7 | 161.8 |
| | ☒ | 110.4 | 111.8 | 14.0 | 15.0 | 1.0 | 1.0 | 0.0 | 0.0 | 182.1 | 163.8 |
| ☒ (2005-2006.) | | 114.8 | 110.3 | 14.0 | 15.4 | 1.6 | 1.1 | 0.0 | 0.0 | 188.2 | 186.0 |

OTPORNOST PREMA BOLESTIMA

Tabela 3.

| Lokalitet | Godina | Ocena (1-9) | | | | Procenat zaraze | | | | | |
|-------------------|--------|-------------|----------|----------------------|----------|-----------------|----------|---------------|----------|---------|----------|
| | | Plamenjača | | Bakteriozna pegavost | | Bela trulež | | Crna pegavost | | Viroze | |
| | | Sorta 3 | Afrodita | Sorta 3 | Afrodita | Sorta 3 | Afrodita | Sorta 3 | Afrodita | Sorta 3 | Afrodita |
| Karavukovo | 2005 | 1.0 | 1.0 | 3.0 | 2.0 | 0.0 | 10.0 | 2.0 | 5.0 | 0.0 | 0.0 |
| | 2006 | 1.0 | 1.0 | 1.0 | 1.0 | 0.0 | 0.0 | 1.0 | 3.0 | 0.0 | 0.0 |
| | ☒ | 1.0 | 1.0 | 2.0 | 1.5 | 0.0 | 5.0 | 1.5 | 4.0 | 0.0 | 0.0 |
| Novi Sad | 2005 | 7.0 | 2.0 | 3.0 | 1.0 | | | | | | |
| | 2006 | 4.0 | 3.0 | 1.0 | 2.0 | | | | | | |
| | ☒ | 5.5 | 2.5 | 2.0 | 1.5 | | | | | | |
| Pančevo | 2005 | 2.0 | 2.0 | 1.0 | 1.0 | 8.0 | 2.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | 2006 | 1.0 | 1.0 | 1.0 | 0.0 | 3.0 | 2.0 | 0.0 | 0.0 | 1.0 | 0.0 |
| | ☒ | 1.5 | 1.5 | 1.0 | 0.5 | 5.5 | 2.0 | 0.0 | 0.0 | 0.5 | 0.0 |
| Sremska Mitrovica | 2005 | 1.0 | 2.0 | 1.0 | 1.0 | 10.0 | 10.0 | 5.0 | 5.0 | 0.0 | 0.0 |
| | 2006 | 2.0 | 2.0 | 2.0 | 3.0 | 0.0 | 0.0 | 3.0 | 3.0 | 0.0 | 0.0 |
| | ☒ | 1.5 | 2.0 | 1.5 | 2.0 | 5.0 | 5.0 | 4.0 | 4.0 | 0.0 | 0.0 |
| Sombor | 2005 | 1.0 | 1.0 | 3.0 | 2.0 | 0.0 | 20.0 | 2.0 | 5.0 | 0.0 | 0.0 |
| | 2006 | 1.0 | 1.0 | 1.0 | 1.0 | 0.0 | 0.0 | 0.0 | 2.0 | 0.0 | 0.0 |
| | ☒ | 1.0 | 1.0 | 2.0 | 1.5 | 0.0 | 10.0 | 1.0 | 3.5 | 0.0 | 0.0 |
| ☒ (2005-2006.) | | 2.1 | 1.6 | 1.7 | 1.4 | 2.6 | 5.5 | 1.6 | 2.9 | 0.1 | 0.0 |

Sorta 4**Reg.br. 320-09-721/2005-06****PROIZVODNE KARAKTERISTIKE SORTE**

Tabela 1.

| Lokalitet | Godina | Prinos zrna (kg/ha) | | Sadržaj sirovih proteina (na s.m.) | | Sadržaj sirovog ulja (na s.m.) | | Sadržaj vlage u zrnu (%) | | Dužina vegetacije (dana) | |
|-------------------|--------|---------------------|--------|------------------------------------|--------|--------------------------------|--------|--------------------------|--------|--------------------------|--------|
| | | Sorta 4 | Balkan | Sorta 4 | Balkan | Sorta 4 | Balkan | Sorta 4 | Balkan | Sorta 4 | Balkan |
| Karavukovo | 2005 | 4393 | 4663 | 33.8 | 32.7 | 19.2 | 19.5 | 15.2 | 15.5 | 143 | 142 |
| | 2006 | 3878 | 3710 | 32.4 | 32.4 | 20.4 | 20.6 | 12.5 | 12.3 | 133 | 131 |
| | ☒ | 4135 | 4186 | 33.1 | 32.5 | 19.8 | 20.1 | 13.9 | 13.9 | 138 | 137 |
| Novi Sad | 2005 | 5058 | 4800 | 35.2 | 36.4 | 19.8 | 19.7 | 5.8 | 6.8 | 142 | 142 |
| | 2006 | 4012 | 3814 | 34.5 | 37.5 | 20.9 | 19.5 | 7.7 | 7.6 | 136 | 136 |
| | ☒ | 4535 | 4307 | 34.9 | 36.9 | 20.3 | 19.6 | 6.8 | 7.2 | 139 | 139 |
| Pančevo | 2005 | 2865 | 3020 | 31.5 | 32.5 | 21.6 | 21.4 | 11.3 | 10.9 | 131 | 130 |
| | 2006 | 3952 | 4694 | 31.4 | 32.3 | 21.6 | 21.6 | 12.3 | 12.7 | 142 | 142 |
| | ☒ | 3408 | 3857 | 31.4 | 32.4 | 21.6 | 21.5 | 11.8 | 11.8 | 137 | 136 |
| Sremska Mitrovica | 2005 | 4988 | 5140 | 35.4 | 35.8 | 19.2 | 19.1 | 11.3 | 11.4 | 144 | 144 |
| | 2006 | 5020 | 5200 | 32.6 | 33.9 | 20.4 | 19.9 | 11.7 | 12.3 | 131 | 132 |
| | ☒ | 5004 | 5170 | 34.0 | 34.9 | 19.8 | 19.5 | 11.5 | 11.9 | 138 | 138 |
| Sombor | 2005 | 4693 | 3553 | 34.4 | 34.7 | 19.7 | 19.8 | 12.0 | 11.5 | 146 | 145 |
| | 2006 | 3890 | 3728 | 32.7 | 32.9 | 19.9 | 20.6 | 12.6 | 12.3 | 141 | 138 |
| | ☒ | 4291 | 3640 | 33.5 | 33.8 | 19.8 | 20.2 | 12.3 | 11.9 | 144 | 142 |
| ☒ | 2005 | 4399 | 4235 | 34.1 | 34.4 | 19.9 | 19.9 | 11.1 | 11.2 | 141 | 141 |
| | 2006 | 4150 | 4229 | 32.7 | 33.8 | 20.6 | 20.4 | 11.4 | 11.4 | 137 | 136 |
| ☒ (2005-2006.) | | 4275 ^o | 4232 | 33.4 | 34.1 | 20.3 | 20.2 | 11.2 | 11.3 | 139 | 138 |
| d | 0.05 | 161 | | | | | | | | | |
| | 0.01 | 199 | | | | | | | | | |
| Cv | | 6.93 | | | | | | | | | |

BIOLOŠKE OSOBINE SORTE

Tabela 2.

| Lokalitet | Godina | Visina biljke (cm) | | Visina do prve mahune (cm) | | Poleganje (0-5) | | Pucanje mahune (%) | | Masa 1000 zrna (g) | |
|-------------------|--------|--------------------|--------|----------------------------|--------|-----------------|--------|--------------------|--------|--------------------|--------|
| | | Sorta 4 | Balkan | Sorta 4 | Balkan | Sorta 4 | Balkan | Sorta 4 | Balkan | Sorta 4 | Balkan |
| Karavukovo | 2005 | 122.5 | 125.0 | 20.2 | 20.0 | 2.0 | 2.0 | 0.0 | 0.0 | 188.0 | 208.0 |
| | 2006 | 99.6 | 91.8 | 13.6 | 13.0 | 1.0 | 1.0 | 0.0 | 0.0 | 154.2 | 175.8 |
| | ☒ | 111.1 | 108.4 | 16.9 | 16.5 | 1.5 | 1.5 | 0.0 | 0.0 | 171.1 | 191.9 |
| Novi Sad | 2005 | 126.0 | 124.0 | 25.0 | 18.0 | 2.0 | 2.0 | 0.0 | 0.0 | 203.0 | 222.0 |
| | 2006 | 105.0 | 99.0 | 14.0 | 15.0 | 2.0 | 2.0 | 0.0 | 0.0 | 185.0 | 242.0 |
| | ☒ | 115.5 | 111.5 | 19.5 | 16.5 | 2.0 | 2.0 | 0.0 | 0.0 | 194.0 | 232.0 |
| Pančevo | 2005 | 103.0 | 95.0 | 17.0 | 10.0 | 1.0 | 1.0 | 0.0 | 0.0 | 178.0 | 180.0 |
| | 2006 | | | 13.0 | 13.0 | 1.0 | 0.0 | 0.0 | 0.0 | 167.3 | 192.8 |
| | ☒ | 103.0 | 95.0 | 15.0 | 11.5 | 1.0 | 0.5 | 0.0 | 0.0 | 172.6 | 186.4 |
| Sremska Mitrovica | 2005 | 140.0 | 125.0 | 19.0 | 19.0 | 4.0 | 3.0 | 0.0 | 0.0 | 189.8 | 205.2 |
| | 2006 | | | 22.0 | 17.0 | 0.0 | 0.0 | 0.0 | 0.0 | 192.8 | 225.9 |
| | ☒ | 140.0 | 125.0 | 20.5 | 18.0 | 2.0 | 1.5 | 0.0 | 0.0 | 191.3 | 215.6 |
| Sombor | 2005 | 142.7 | 117.4 | 10.1 | 10.3 | 2.0 | 1.0 | 0.0 | 0.0 | 187.6 | 224.0 |
| | 2006 | 104.2 | 94.0 | 17.0 | 15.2 | 1.0 | 1.0 | 0.0 | 0.0 | 172.9 | 183.1 |
| | ☒ | 123.5 | 105.7 | 13.6 | 12.8 | 1.5 | 1.0 | 0.0 | 0.0 | 180.3 | 203.6 |
| ☒ (2005-2006.) | | 117.9 | 108.9 | 17.1 | 15.1 | 1.6 | 1.3 | 0.0 | 0.0 | 181.9 | 205.9 |

OTPORNOST PREMA BOLESTIMA

Tabela 3.

| Lokalitet | Godina | Ocena (1-9) | | | | Procenat zaraze | | | | | |
|-------------------|--------|-------------|--------|----------------------|--------|-----------------|--------|---------------|--------|---------|--------|
| | | Plamenjača | | Bakteriozna pegavost | | Bela trulež | | Crna pegavost | | Viroze | |
| | | Sorta 4 | Balkan | Sorta 4 | Balkan | Sorta 4 | Balkan | Sorta 4 | Balkan | Sorta 4 | Balkan |
| Karavukovo | 2005 | 1.0 | 1.0 | 2.0 | 3.0 | 3.0 | 2.0 | 5.0 | 5.0 | 0.0 | 0.0 |
| | 2006 | 1.0 | 1.0 | 2.0 | 1.0 | 0.0 | 0.0 | 5.0 | 8.0 | 0.0 | 0.0 |
| | ☒ | 1.0 | 1.0 | 2.0 | 2.0 | 1.5 | 1.0 | 5.0 | 6.5 | 0.0 | 0.0 |
| Novi Sad | 2005 | 3.0 | 4.0 | 1.0 | 1.0 | | | | | | |
| | 2006 | 4.0 | 4.0 | 1.0 | 2.0 | | | | | | |
| | ☒ | 3.5 | 4.0 | 1.0 | 1.5 | | | | | | |
| Pančevo | 2005 | 2.0 | 1.0 | 1.0 | 1.0 | 5.0 | 5.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | 2006 | 2.0 | 1.0 | 0.0 | 0.0 | 3.0 | 2.0 | 1.0 | 1.0 | 0.0 | 1.0 |
| | ☒ | 2.0 | 1.0 | 0.5 | 0.5 | 4.0 | 3.5 | 0.5 | 0.5 | 0.0 | 0.5 |
| Sremska Mitrovica | 2005 | 2.0 | 2.0 | 1.0 | 2.0 | 15.0 | 5.0 | 5.0 | 5.0 | 0.0 | 0.0 |
| | 2006 | 2.0 | 2.0 | 2.0 | 2.0 | 0.0 | 0.0 | 2.0 | 2.0 | 0.0 | 0.0 |
| | ☒ | 2.0 | 2.0 | 1.5 | 2.0 | 7.5 | 2.5 | 3.5 | 3.5 | 0.0 | 0.0 |
| Sombor | 2005 | 1.0 | 1.0 | 3.0 | 4.0 | 5.0 | 2.0 | 5.0 | 5.0 | 0.0 | 0.0 |
| | 2006 | 1.0 | 1.0 | 2.0 | 1.0 | 0.0 | 0.0 | 10.0 | 15.0 | 0.0 | 0.0 |
| | ☒ | 1.0 | 1.0 | 2.5 | 2.5 | 2.5 | 1.0 | 7.5 | 10.0 | 0.0 | 0.0 |
| ☒ (2005-2006.) | | 1.9 | 1.8 | 1.5 | 1.7 | 3.9 | 2.0 | 4.1 | 5.1 | 0.0 | 0.1 |

Sorta 5**Reg.br. 320-09-720/2005-06****PROIZVODNE KARAKTERISTIKE SORTE**

Tabela 1.

| Lokalitet | Godina | Prinos zrna (kg/ha) | | Sadržaj sirovih proteina (na s.m.) | | Sadržaj sirovog ulja (na s.m.) | | Sadržaj vlage u zrnu (%) | | Dužina vegetacije (dana) | |
|-------------------|--------|---------------------|--------|------------------------------------|--------|--------------------------------|--------|--------------------------|--------|--------------------------|--------|
| | | Sorta 5 | Balkan | Sorta 5 | Balkan | Sorta 5 | Balkan | Sorta 5 | Balkan | Sorta 5 | Balkan |
| Karavukovo | 2005 | 4908 | 4663 | 34.4 | 32.7 | 18.6 | 19.5 | 15.0 | 15.5 | 143 | 142 |
| | 2006 | 2998 | 3710 | 35.0 | 32.4 | 19.2 | 20.6 | 11.8 | 12.3 | 135 | 131 |
| | ☒ | 3953 | 4186 | 34.7 | 32.5 | 18.9 | 20.1 | 13.4 | 13.9 | 139 | 137 |
| Novi Sad | 2005 | 5518 | 4800 | 36.3 | 36.4 | 19.1 | 19.7 | 6.4 | 6.8 | 142 | 142 |
| | 2006 | 4442 | 3814 | 35.8 | 37.5 | 20.0 | 19.5 | 8.0 | 7.6 | 137 | 136 |
| | ☒ | 4980 | 4307 | 36.1 | 36.9 | 19.5 | 19.6 | 7.2 | 7.2 | 140 | 139 |
| Pančevo | 2005 | 3476 | 3020 | 32.5 | 32.5 | 20.2 | 21.4 | 13.9 | 10.9 | 132 | 130 |
| | 2006 | 3935 | 4694 | 32.2 | 32.3 | 21.1 | 21.6 | 12.2 | 12.7 | 142 | 142 |
| | ☒ | 3705 | 3857 | 32.3 | 32.4 | 20.7 | 21.5 | 13.1 | 11.8 | 137 | 136 |
| Sremska Mitrovica | 2005 | 5575 | 5140 | 35.5 | 35.8 | 19.1 | 19.1 | 11.6 | 11.4 | 144 | 144 |
| | 2006 | 4523 | 5200 | 33.8 | 33.9 | 20.1 | 19.9 | 11.4 | 12.3 | 131 | 132 |
| | ☒ | 5049 | 5170 | 34.6 | 34.9 | 19.6 | 19.5 | 11.5 | 11.9 | 138 | 138 |
| Sombor | 2005 | 4965 | 3553 | 34.8 | 34.7 | 19.3 | 19.8 | 11.4 | 11.5 | 148 | 145 |
| | 2006 | 4023 | 3728 | 33.9 | 32.9 | 19.5 | 20.6 | 12.5 | 12.3 | 142 | 138 |
| | ☒ | 4494 | 3640 | 34.3 | 33.8 | 19.4 | 20.2 | 12.0 | 11.9 | 145 | 142 |
| ☒ | 2005 | 4888 | 4235 | 34.7 | 34.4 | 19.3 | 19.9 | 11.7 | 11.2 | 142 | 141 |
| | 2006 | 3984 | 4229 | 34.1 | 33.8 | 20.0 | 20.4 | 11.2 | 11.4 | 137 | 136 |
| ☒ (2005-2006.) | | 4436 ⁺⁺ | 4232 | 34.4 | 34.1 | 19.6 | 20.2 | 11.4 | 11.3 | 140 | 138 |
| d | | 0.05 | 161 | | | | | | | | |
| | | 0.01 | 199 | | | | | | | | |
| Cv | | 6.93 | | | | | | | | | |

BIOLOŠKE OSOBINE SORTE

Tabela 2.

| Lokalitet | Godina | Visina biljke (cm) | | Visina do prve mahune (cm) | | Poleganje (0-5) | | Pucanje mahune (%) | | Masa 1000 zrna (g) | |
|-------------------|--------|--------------------|--------|----------------------------|--------|-----------------|--------|--------------------|--------|--------------------|--------|
| | | Sorta 5 | Balkan | Sorta 5 | Balkan | Sorta 5 | Balkan | Sorta 5 | Balkan | Sorta 5 | Balkan |
| Karavukovo | 2005 | 125.0 | 125.0 | 22.5 | 20.0 | 2.0 | 2.0 | 0.0 | 0.0 | 181.0 | 208.0 |
| | 2006 | 86.5 | 91.8 | 12.5 | 13.0 | 1.0 | 1.0 | 0.0 | 0.0 | 138.6 | 175.8 |
| | ☒ | 105.8 | 108.4 | 17.5 | 16.5 | 1.5 | 1.5 | 0.0 | 0.0 | 159.8 | 191.9 |
| Novi Sad | 2005 | 127.0 | 124.0 | 18.0 | 18.0 | 2.0 | 2.0 | 0.0 | 0.0 | 179.0 | 222.0 |
| | 2006 | 99.0 | 99.0 | 16.0 | 15.0 | 1.0 | 2.0 | 0.0 | 0.0 | 165.0 | 242.0 |
| | ☒ | 113.0 | 111.5 | 17.0 | 16.5 | 1.5 | 2.0 | 0.0 | 0.0 | 172.0 | 232.0 |
| Pančevo | 2005 | 106.0 | 95.0 | 15.0 | 10.0 | 1.0 | 1.0 | 0.0 | 0.0 | 190.0 | 180.0 |
| | 2006 | | | 16.0 | 13.0 | 0.0 | 0.0 | 0.0 | 0.0 | 151.1 | 192.8 |
| | ☒ | 106.0 | 95.0 | 15.5 | 11.5 | 0.5 | 0.5 | 0.0 | 0.0 | 170.5 | 186.4 |
| Sremska Mitrovica | 2005 | 124.0 | 125.0 | 14.0 | 19.0 | 0.5 | 3.0 | 0.0 | 0.0 | 189.4 | 205.2 |
| | 2006 | | | 13.0 | 17.0 | 0.0 | 0.0 | 0.0 | 0.0 | 190.0 | 225.9 |
| | ☒ | 124.0 | 125.0 | 13.5 | 18.0 | 0.3 | 1.5 | 0.0 | 0.0 | 189.7 | 215.6 |
| Sombor | 2005 | 133.0 | 117.4 | 10.6 | 10.3 | 1.0 | 1.0 | 0.0 | 0.0 | 167.2 | 224.0 |
| | 2006 | 96.8 | 94.0 | 12.6 | 15.2 | 1.0 | 1.0 | 0.0 | 0.0 | 159.6 | 183.1 |
| | ☒ | 114.9 | 105.7 | 11.6 | 12.8 | 1.0 | 1.0 | 0.0 | 0.0 | 163.4 | 203.6 |
| ☒ (2005-2006.) | | 112.2 | 108.9 | 15.0 | 15.1 | 1.0 | 1.3 | 0.0 | 0.0 | 171.1 | 205.9 |

OTPORNOST PREMA BOLESTIMA

Tabela 3.

| Lokalitet | Godina | Ocena (1-9) | | | | Procenat zaraze | | | | | |
|-------------------|--------|-------------|--------|----------------------|--------|-----------------|--------|---------------|--------|---------|--------|
| | | Plamenjača | | Bakteriozna pegavost | | Bela trulež | | Crna pegavost | | Viroze | |
| | | Sorta 5 | Balkan | Sorta 5 | Balkan | Sorta 5 | Balkan | Sorta 5 | Balkan | Sorta 5 | Balkan |
| Karavukovo | 2005 | 1.0 | 1.0 | 2.0 | 3.0 | 0.0 | 2.0 | 5.0 | 5.0 | 0.0 | 0.0 |
| | 2006 | 1.0 | 1.0 | 1.0 | 1.0 | 0.0 | 0.0 | 5.0 | 8.0 | 0.0 | 0.0 |
| | ☒ | 1.0 | 1.0 | 1.5 | 2.0 | 0.0 | 1.0 | 5.0 | 6.5 | 0.0 | 0.0 |
| Novi Sad | 2005 | 2.0 | 4.0 | 1.0 | 1.0 | | | | | | |
| | 2006 | 3.0 | 4.0 | 1.0 | 2.0 | | | | | | |
| | ☒ | 2.5 | 4.0 | 1.0 | 1.5 | | | | | | |
| Pančevo | 2005 | 2.0 | 1.0 | 1.0 | 1.0 | 0.0 | 5.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | 2006 | 1.0 | 1.0 | 1.0 | 0.0 | 3.0 | 2.0 | 1.0 | 1.0 | 1.0 | 1.0 |
| | ☒ | 1.5 | 1.0 | 1.0 | 0.5 | 1.5 | 3.5 | 0.5 | 0.5 | 0.5 | 0.5 |
| Sremska Mitrovica | 2005 | 1.0 | 2.0 | 1.0 | 2.0 | 10.0 | 5.0 | 2.0 | 5.0 | 0.0 | 0.0 |
| | 2006 | 1.0 | 2.0 | 2.0 | 2.0 | 0.0 | 0.0 | 2.0 | 2.0 | 0.0 | 0.0 |
| | ☒ | 1.0 | 2.0 | 1.5 | 2.0 | 5.0 | 2.5 | 2.0 | 3.5 | 0.0 | 0.0 |
| Sombor | 2005 | 1.0 | 1.0 | 4.0 | 4.0 | 0.0 | 2.0 | 5.0 | 5.0 | 0.0 | 0.0 |
| | 2006 | 1.0 | 1.0 | 2.0 | 1.0 | 0.0 | 0.0 | 5.0 | 15.0 | 0.0 | 0.0 |
| | ☒ | 1.0 | 1.0 | 3.0 | 2.5 | 0.0 | 1.0 | 5.0 | 10.0 | 0.0 | 0.0 |
| ☒ (2005-2006.) | | 1.4 | 1.8 | 1.6 | 1.7 | 1.6 | 2.0 | 3.1 | 5.1 | 0.1 | 0.1 |

Sorta 6**Reg.br. 320-09-788/2005-06****PROIZVODNE KARAKTERISTIKE SORTE**

Tabela 1.

| Lokalitet | Godina | Prinos zrna (kg/ha) | | Sadržaj sirovih proteina (na s.m.) | | Sadržaj sirovog ulja (na s.m.) | | Sadržaj vlage u zrnu (%) | | Dužina vegetacije (dana) | |
|-------------------|--------|---------------------|--------|------------------------------------|--------|--------------------------------|--------|--------------------------|--------|--------------------------|--------|
| | | Sorta 6 | Balkan | Sorta 6 | Balkan | Sorta 6 | Balkan | Sorta 6 | Balkan | Sorta 6 | Balkan |
| Karavukovo | 2005 | 4833 | 4663 | 34.4 | 32.7 | 18.9 | 19.5 | 14.5 | 15.5 | 142 | 142 |
| | 2006 | 3118 | 3710 | 36.7 | 32.4 | 18.1 | 20.6 | 11.5 | 12.3 | 134 | 131 |
| | ☒ | 3975 | 4186 | 35.6 | 32.5 | 18.5 | 20.1 | 13.0 | 13.9 | 138 | 137 |
| Novi Sad | 2005 | 4827 | 4800 | 37.4 | 36.4 | 18.9 | 19.7 | 6.0 | 6.8 | 140 | 142 |
| | 2006 | 4084 | 3814 | 38.2 | 37.5 | 18.9 | 19.5 | 8.5 | 7.6 | 136 | 136 |
| | ☒ | 4455 | 4307 | 37.8 | 36.9 | 18.9 | 19.6 | 7.3 | 7.2 | 138 | 139 |
| Pančevo | 2005 | 3352 | 3020 | 33.7 | 32.5 | 19.9 | 21.4 | 12.8 | 10.9 | 132 | 130 |
| | 2006 | 4375 | 4694 | 33.4 | 32.3 | 20.4 | 21.6 | 12.6 | 12.7 | 142 | 142 |
| | ☒ | 3864 | 3857 | 33.5 | 32.4 | 20.1 | 21.5 | 12.7 | 11.8 | 137 | 136 |
| Sremska Mitrovica | 2005 | 4758 | 5140 | 36.8 | 35.8 | 18.5 | 19.1 | 11.5 | 11.4 | 144 | 144 |
| | 2006 | 4598 | 5200 | 34.5 | 33.9 | 19.4 | 19.9 | 12.1 | 12.3 | 132 | 132 |
| | ☒ | 4678 | 5170 | 35.6 | 34.9 | 19.0 | 19.5 | 11.8 | 11.9 | 138 | 138 |
| Sombor | 2005 | 4780 | 3553 | 34.0 | 34.7 | 18.9 | 19.8 | 15.4 | 11.5 | 147 | 145 |
| | 2006 | 3833 | 3728 | 33.9 | 32.9 | 19.1 | 20.6 | 14.1 | 12.3 | 142 | 138 |
| | ☒ | 4306 | 3640 | 34.0 | 33.8 | 19.0 | 20.2 | 14.8 | 11.9 | 145 | 142 |
| ☒ | 2005 | 4510 | 4235 | 35.3 | 34.4 | 19.0 | 19.9 | 12.0 | 11.2 | 141 | 141 |
| | 2006 | 4001 | 4229 | 35.3 | 33.8 | 19.2 | 20.4 | 11.8 | 11.4 | 137 | 136 |
| ☒ (2005-2006.) | | 4256 ^o | 4232 | 35.3 | 34.1 | 19.1 | 20.2 | 11.9 | 11.3 | 139 | 138 |
| d | | 0.05 | 161 | | | | | | | | |
| | | 0.01 | 199 | | | | | | | | |
| Cv | | 6.93 | | | | | | | | | |

BIOLOŠKE OSOBINE SORTE

Tabela 2.

| Lokalitet | Godina | Visina biljke (cm) | | Visina do prve mahune (cm) | | Poleganje (0-5) | | Pucanje mahune (%) | | Masa 1000 zrna (g) | |
|-------------------|--------|--------------------|--------|----------------------------|--------|-----------------|--------|--------------------|--------|--------------------|--------|
| | | Sorta 6 | Balkan | Sorta 6 | Balkan | Sorta 6 | Balkan | Sorta 6 | Balkan | Sorta 6 | Balkan |
| Karavukovo | 2005 | 130.0 | 125.0 | 24.5 | 20.0 | 2.0 | 2.0 | 0.0 | 0.0 | 184.0 | 208.0 |
| | 2006 | 91.7 | 91.8 | 13.9 | 13.0 | 1.0 | 1.0 | 0.0 | 0.0 | 177.4 | 175.8 |
| | ☒ | 110.9 | 108.4 | 19.2 | 16.5 | 1.5 | 1.5 | 0.0 | 0.0 | 180.7 | 191.9 |
| Novi Sad | 2005 | 115.0 | 124.0 | 23.0 | 18.0 | 2.0 | 2.0 | 0.0 | 0.0 | 210.0 | 222.0 |
| | 2006 | 91.0 | 99.0 | 18.0 | 15.0 | 1.0 | 2.0 | 0.0 | 0.0 | 219.0 | 242.0 |
| | ☒ | 103.0 | 111.5 | 20.5 | 16.5 | 1.5 | 2.0 | 0.0 | 0.0 | 214.5 | 232.0 |
| Pančevo | 2005 | 81.0 | 95.0 | 10.0 | 10.0 | 1.0 | 1.0 | 0.0 | 0.0 | 195.0 | 180.0 |
| | 2006 | | | 13.0 | 13.0 | 0.0 | 0.0 | 0.0 | 0.0 | 206.0 | 192.8 |
| | ☒ | 81.0 | 95.0 | 11.5 | 11.5 | 0.5 | 0.5 | 0.0 | 0.0 | 200.5 | 186.4 |
| Sremska Mitrovica | 2005 | 105.0 | 125.0 | 18.0 | 19.0 | 1.0 | 3.0 | 0.0 | 0.0 | 205.7 | 205.2 |
| | 2006 | | | 16.0 | 17.0 | 0.0 | 0.0 | 0.0 | 0.0 | 218.3 | 225.9 |
| | ☒ | 105.0 | 125.0 | 17.0 | 18.0 | 0.5 | 1.5 | 0.0 | 0.0 | 212.0 | 215.6 |
| Sombor | 2005 | 103.7 | 117.4 | 9.9 | 10.3 | 1.0 | 1.0 | 0.0 | 0.0 | 190.0 | 224.0 |
| | 2006 | 91.0 | 94.0 | 15.4 | 15.2 | 1.0 | 1.0 | 0.0 | 0.0 | 203.9 | 183.1 |
| | ☒ | 97.4 | 105.7 | 12.7 | 12.8 | 1.0 | 1.0 | 0.0 | 0.0 | 197.0 | 203.6 |
| ☒ (2005-2006.) | | 101.1 | 108.9 | 16.2 | 15.1 | 1.0 | 1.3 | 0.0 | 0.0 | 200.9 | 205.9 |

OTPORNOST PREMA BOLESTIMA

Tabela 3.

| Lokalitet | Godina | Ocena (1-9) | | | | Procenat zaraze | | | | | |
|-------------------|--------|-------------|--------|----------------------|--------|-----------------|--------|---------------|--------|---------|--------|
| | | Plamenjača | | Bakteriozna pegavost | | Bela trulež | | Crna pegavost | | Viroze | |
| | | Sorta 6 | Balkan | Sorta 6 | Balkan | Sorta 6 | Balkan | Sorta 6 | Balkan | Sorta 6 | Balkan |
| Karavukovo | 2005 | 1.0 | 1.0 | 3.0 | 3.0 | 2.0 | 2.0 | 1.0 | 5.0 | 0.0 | 0.0 |
| | 2006 | 1.0 | 1.0 | 1.0 | 1.0 | 0.0 | 0.0 | 1.0 | 8.0 | 0.0 | 0.0 |
| | ☒ | 1.0 | 1.0 | 2.0 | 2.0 | 1.0 | 1.0 | 1.0 | 6.5 | 0.0 | 0.0 |
| Novi Sad | 2005 | 1.0 | 4.0 | 1.0 | 1.0 | | | | | | |
| | 2006 | 1.0 | 4.0 | 2.0 | 2.0 | | | | | | |
| | ☒ | 1.0 | 4.0 | 1.5 | 1.5 | | | | | | |
| Pančevo | 2005 | 1.0 | 1.0 | 1.0 | 1.0 | 0.0 | 5.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | 2006 | 1.0 | 1.0 | 0.0 | 0.0 | 1.0 | 2.0 | 2.0 | 1.0 | 0.0 | 1.0 |
| | ☒ | 1.0 | 1.0 | 0.5 | 0.5 | 0.5 | 3.5 | 1.0 | 0.5 | 0.0 | 0.5 |
| Sremska Mitrovica | 2005 | 1.0 | 2.0 | 1.0 | 2.0 | 3.0 | 5.0 | 5.0 | 5.0 | 0.0 | 0.0 |
| | 2006 | 2.0 | 2.0 | 2.0 | 2.0 | 0.0 | 0.0 | 1.0 | 2.0 | 0.0 | 0.0 |
| | ☒ | 1.5 | 2.0 | 1.5 | 2.0 | 1.5 | 2.5 | 3.0 | 3.5 | 0.0 | 0.0 |
| Sombor | 2005 | 1.0 | 1.0 | 3.0 | 4.0 | 3.0 | 2.0 | 0.0 | 5.0 | 0.0 | 0.0 |
| | 2006 | 1.0 | 1.0 | 1.0 | 1.0 | 0.0 | 0.0 | 0.0 | 15.0 | 0.0 | 0.0 |
| | ☒ | 1.0 | 1.0 | 2.0 | 2.5 | 1.5 | 1.0 | 0.0 | 10.0 | 0.0 | 0.0 |
| ☒ (2005-2006.) | | 1.1 | 1.8 | 1.5 | 1.7 | 1.1 | 2.0 | 1.3 | 5.1 | 0.0 | 0.1 |

Sorta 7Reg.br. 320-09-719/2005-06

PROIZVODNE KARAKTERISTIKE SORTE

Tabela 1.

| Lokalitet | Godina | Prinos zrna (kg/ha) | | Sadržaj sirovih proteina (na s.m.) | | Sadržaj sirovog ulja (na s.m.) | | Sadržaj vlage u zrnu (%) | | Dužina vegetacije (dana) | |
|-------------------|--------|---------------------|------------|------------------------------------|------------|--------------------------------|------------|--------------------------|------------|--------------------------|------------|
| | | Sorta 7 | Vojvođanka | Sorta 7 | Vojvođanka | Sorta 7 | Vojvođanka | Sorta 7 | Vojvođanka | Sorta 7 | Vojvođanka |
| Karavukovo | 2005 | 3993 | 4155 | 34.2 | 34.8 | 18.8 | 18.0 | 15.2 | 15.7 | 152 | 148 |
| | 2006 | 3833 | 4385 | 32.9 | 33.0 | 19.4 | 20.1 | 12.4 | 11.5 | 141 | 137 |
| | ☒ | 3913 | 4270 | 33.6 | 33.9 | 19.1 | 19.0 | 13.8 | 13.6 | 147 | 143 |
| Novi Sad | 2005 | 5331 | 5040 | 35.9 | 36.1 | 19.5 | 19.4 | 6.2 | 7.5 | 151 | 150 |
| | 2006 | 5144 | 4521 | 34.1 | 35.9 | 20.2 | 19.8 | 8.4 | 9.0 | 143 | 141 |
| | ☒ | 5237 | 4780 | 35.0 | 36.0 | 19.9 | 19.6 | 7.3 | 8.3 | 147 | 146 |
| Pančevo | 2005 | 3511 | 3550 | 31.2 | 32.4 | 20.0 | 20.1 | 17.1 | 14.3 | 150 | 136 |
| | 2006 | 4829 | 3964 | 30.8 | 32.4 | 20.3 | 20.9 | 15.6 | 12.5 | 144 | 142 |
| | ☒ | 4170 | 3757 | 31.0 | 32.4 | 20.1 | 20.5 | 16.4 | 13.4 | 147 | 139 |
| Sremska Mitrovica | 2005 | 4913 | 5400 | 32.9 | 35.1 | 18.6 | 19.2 | 16.4 | 11.9 | 156 | 147 |
| | 2006 | 5275 | 4900 | 31.9 | 32.0 | 19.4 | 19.9 | 16.4 | 14.6 | 139 | 135 |
| | ☒ | 5094 | 5150 | 32.4 | 33.5 | 19.0 | 19.6 | 16.4 | 13.3 | 148 | 141 |
| Sombor | 2005 | 4630 | 4230 | 33.7 | 33.3 | 19.0 | 20.1 | 14.2 | 12.4 | 159 | 150 |
| | 2006 | 3533 | 3603 | 29.7 | 31.7 | 20.9 | 20.6 | 14.8 | 12.8 | 150 | 144 |
| | ☒ | 4081 | 3916 | 31.7 | 32.5 | 19.9 | 20.3 | 14.5 | 12.6 | 155 | 147 |
| ☒ | 2005 | 4475 | 4475 | 33.6 | 34.3 | 19.2 | 19.3 | 13.8 | 12.4 | 154 | 146 |
| | 2006 | 4523 | 4274 | 31.9 | 33.0 | 20.0 | 20.3 | 13.5 | 12.1 | 143 | 140 |
| ☒ (2005-2006.) | | 4499 ^o | 4375 | 32.7 | 33.7 | 19.6 | 19.8 | 13.7 | 12.2 | 149 | 143 |
| d | 0.05 | 177 | | | | | | | | | |
| | 0.01 | 215 | | | | | | | | | |
| Cv | | 7.10 | | | | | | | | | |

BIOLOŠKE OSOBINE SORTE

Tabela 2.

| Lokalitet | Godina | Visina biljke (cm) | | Visina do prve mahune (cm) | | Poleganje (0-5) | | Pucanje mahune (%) | | Masa 1000 zrna (g) | |
|-------------------|--------|--------------------|------------|----------------------------|------------|-----------------|------------|--------------------|------------|--------------------|------------|
| | | Sorta 7 | Vojvođanka | Sorta 7 | Vojvođanka | Sorta 7 | Vojvođanka | Sorta 7 | Vojvođanka | Sorta 7 | Vojvođanka |
| Karavukovo | 2005 | 130.0 | 126.1 | 23.1 | 20.1 | 1.0 | 2.0 | 0.0 | 0.0 | 195.0 | 214.0 |
| | 2006 | 109.2 | 106.0 | 11.0 | 11.2 | 1.0 | 1.0 | 0.0 | 0.0 | 152.9 | 142.9 |
| | ☒ | 119.6 | 116.1 | 17.1 | 15.7 | 1.0 | 1.5 | 0.0 | 0.0 | 173.9 | 178.4 |
| Novi Sad | 2005 | 128.0 | 139.0 | 14.0 | 21.0 | 2.0 | 3.0 | 0.0 | 0.0 | 189.0 | 182.0 |
| | 2006 | 96.0 | 104.0 | 10.0 | 14.0 | 1.0 | 2.0 | 0.0 | 0.0 | 183.0 | 180.0 |
| | ☒ | 112.0 | 121.5 | 12.0 | 17.5 | 1.5 | 2.5 | 0.0 | 0.0 | 186.0 | 181.0 |
| Pančevo | 2005 | 100.0 | 103.0 | 17.0 | 15.0 | 2.0 | 0.0 | 0.0 | 0.0 | 180.0 | 198.0 |
| | 2006 | | | 16.0 | 9.0 | 0.0 | 0.0 | 0.0 | 0.0 | 171.0 | 153.2 |
| | ☒ | 100.0 | 103.0 | 16.5 | 12.0 | 1.0 | 0.0 | 0.0 | 0.0 | 175.5 | 175.6 |
| Sremska Mitrovica | 2005 | 127.0 | 131.0 | 22.0 | 18.0 | 2.0 | 1.0 | 0.0 | 0.0 | 196.7 | 183.7 |
| | 2006 | | | 24.0 | 12.0 | 1.0 | 1.0 | 0.0 | 0.0 | 186.5 | 183.4 |
| | ☒ | 127.0 | 131.0 | 23.0 | 15.0 | 1.5 | 1.0 | 0.0 | 0.0 | 191.6 | 183.5 |
| Sombor | 2005 | 119.0 | 120.6 | 9.7 | 10.1 | 2.0 | 3.0 | 0.0 | 0.0 | 185.8 | 169.6 |
| | 2006 | 95.0 | 101.4 | 13.2 | 12.8 | 1.0 | 1.0 | 0.0 | 0.0 | 164.8 | 160.1 |
| | ☒ | 107.0 | 111.0 | 11.5 | 11.5 | 1.5 | 2.0 | 0.0 | 0.0 | 175.3 | 164.9 |
| ☒ (2005-2006.) | | 113.0 | 116.4 | 16.0 | 14.3 | 1.3 | 1.4 | 0.0 | 0.0 | 180.5 | 176.7 |

OTPORNOST PREMA BOLESTIMA

Tabela 3.

| Lokalitet | Godina | Ocena (1-9) | | | | Procenat zaraze | | | | | |
|-------------------|--------|-------------|------------|----------------------|------------|-----------------|------------|---------------|------------|---------|------------|
| | | Plamenjača | | Bakteriozna pegavost | | Bela trulež | | Crna pegavost | | Viroze | |
| | | Sorta 7 | Vojvođanka | Sorta 7 | Vojvođanka | Sorta 7 | Vojvođanka | Sorta 7 | Vojvođanka | Sorta 7 | Vojvođanka |
| Karavukovo | 2005 | 1.0 | 1.0 | 4.0 | 3.0 | 5.0 | 10.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | 2006 | 1.0 | 1.0 | 1.0 | 2.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | ☒ | 1.0 | 1.0 | 2.5 | 2.5 | 2.5 | 5.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Novi Sad | 2005 | 6.0 | 2.0 | 1.0 | 2.0 | | | | | | |
| | 2006 | 4.0 | 3.0 | 1.0 | 2.0 | | | | | | |
| | ☒ | 5.0 | 2.5 | 1.0 | 2.0 | | | | | | |
| Pančevo | 2005 | 1.0 | 1.0 | 1.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | 2006 | 1.0 | 2.0 | 1.0 | 1.0 | 2.0 | 2.0 | 1.0 | 2.0 | 0.0 | 0.0 |
| | ☒ | 1.0 | 1.5 | 1.0 | 1.0 | 1.0 | 1.0 | 0.5 | 1.0 | 0.0 | 0.0 |
| Sremska Mitrovica | 2005 | 2.0 | 3.0 | 1.0 | 2.0 | 15.0 | 10.0 | 5.0 | 5.0 | 0.0 | 0.0 |
| | 2006 | 2.0 | 2.0 | 3.0 | 2.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | ☒ | 2.0 | 2.5 | 2.0 | 2.0 | 7.5 | 5.0 | 2.5 | 2.5 | 0.0 | 0.0 |
| Sombor | 2005 | 1.0 | 1.0 | 3.0 | 3.0 | 5.0 | 20.0 | 0.0 | 0.0 | | |
| | 2006 | 1.0 | 1.0 | 1.0 | 3.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | ☒ | 1.0 | 1.0 | 2.0 | 3.0 | 2.5 | 10.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| ☒ (2005-2006.) | | 2.0 | 1.7 | 1.7 | 2.1 | 3.4 | 5.3 | 0.8 | 0.9 | 0.0 | 0.0 |

Sorta 8**Reg.br. 320-09-724/2005-06****PROIZVODNE KARAKTERISTIKE SORTE**

Tabela 1.

| Lokalitet | Godina | Prinos zrna (kg/ha) | | Sadržaj sirovih proteina (na s.m.) | | Sadržaj sirovog ulja (na s.m.) | | Sadržaj vlage u zrnu (%) | | Dužina vegetacije (dana) | |
|-------------------|--------|---------------------|------------|------------------------------------|------------|--------------------------------|------------|--------------------------|------------|--------------------------|------------|
| | | Sorta 8 | Vojvođanka | Sorta 8 | Vojvođanka | Sorta 8 | Vojvođanka | Sorta 8 | Vojvođanka | Sorta 8 | Vojvođanka |
| Karavukovo | 2005 | 3703 | 4155 | 34.0 | 34.8 | 18.5 | 18.0 | 15.3 | 15.7 | 150 | 148 |
| | 2006 | 3655 | 4385 | 32.3 | 33.0 | 20.3 | 20.1 | 13.2 | 11.5 | 137 | 137 |
| | ☒ | 3679 | 4270 | 33.1 | 33.9 | 19.4 | 19.0 | 14.3 | 13.6 | 144 | 143 |
| Novi Sad | 2005 | 4377 | 5040 | 36.6 | 36.1 | 19.2 | 19.4 | 6.6 | 7.5 | 154 | 150 |
| | 2006 | 5227 | 4521 | 35.3 | 35.9 | 20.2 | 19.8 | 8.4 | 9.0 | 145 | 141 |
| | ☒ | 4802 | 4780 | 35.9 | 36.0 | 19.7 | 19.6 | 7.5 | 8.3 | 150 | 146 |
| Pančevo | 2005 | 3229 | 3550 | 31.5 | 32.4 | 18.4 | 20.1 | 19.6 | 14.3 | 141 | 136 |
| | 2006 | 4478 | 3964 | 31.4 | 32.4 | 20.6 | 20.9 | 14.2 | 12.5 | 143 | 142 |
| | ☒ | 3854 | 3757 | 31.5 | 32.4 | 19.5 | 20.5 | 16.9 | 13.4 | 142 | 139 |
| Sremska Mitrovica | 2005 | 4785 | 5400 | 35.1 | 35.1 | 19.2 | 19.2 | 12.5 | 11.9 | 149 | 147 |
| | 2006 | 5408 | 4900 | 32.4 | 32.0 | 19.8 | 19.9 | 14.7 | 14.6 | 137 | 135 |
| | ☒ | 5096 | 5150 | 33.7 | 33.5 | 19.5 | 19.6 | 13.6 | 13.3 | 143 | 141 |
| Sombor | 2005 | 3625 | 4230 | 34.3 | 33.3 | 19.1 | 20.1 | 13.3 | 12.4 | 154 | 150 |
| | 2006 | 3353 | 3603 | 28.8 | 31.7 | 21.9 | 20.6 | 13.6 | 12.8 | 144 | 144 |
| | ☒ | 3489 | 3916 | 31.6 | 32.5 | 20.5 | 20.3 | 13.5 | 12.6 | 149 | 147 |
| ☒ | 2005 | 3944 | 4475 | 34.3 | 34.3 | 18.9 | 19.3 | 13.5 | 12.4 | 150 | 146 |
| | 2006 | 4424 | 4274 | 32.0 | 33.0 | 20.5 | 20.3 | 12.8 | 12.1 | 141 | 140 |
| ☒ (2005-2006.) | | 4184 | 4375 | 33.2 | 33.7 | 19.7 | 19.8 | 13.1 | 12.2 | 145 | 143 |
| d | 0.05 | 177 | | | | | | | | | |
| | 0.01 | 215 | | | | | | | | | |
| Cv | | 7.10 | | | | | | | | | |

BIOLOŠKE OSOBINE SORTE

Tabela 2.

| Lokalitet | Godina | Visina biljke (cm) | | Visina do prve mahune (cm) | | Poleganje (0-5) | | Pucanje mahune (%) | | Masa 1000 zrna (g) | |
|-------------------|--------|--------------------|------------|----------------------------|------------|-----------------|------------|--------------------|------------|--------------------|------------|
| | | Sorta 8 | Vojvođanka | Sorta 8 | Vojvođanka | Sorta 8 | Vojvođanka | Sorta 8 | Vojvođanka | Sorta 8 | Vojvođanka |
| Karavukovo | 2005 | 110.0 | 126.1 | 20.0 | 20.1 | 2.0 | 2.0 | 0.0 | 0.0 | 183.0 | 214.0 |
| | 2006 | 92.8 | 106.0 | 12.5 | 11.2 | 1.0 | 1.0 | 0.0 | 0.0 | 146.3 | 142.9 |
| | ☒ | 101.4 | 116.1 | 16.3 | 15.7 | 1.5 | 1.5 | 0.0 | 0.0 | 164.6 | 178.4 |
| Novi Sad | 2005 | 132.0 | 139.0 | 18.0 | 21.0 | 2.0 | 3.0 | 0.0 | 0.0 | 186.0 | 182.0 |
| | 2006 | 85.0 | 104.0 | 8.0 | 14.0 | 0.0 | 2.0 | 0.0 | 0.0 | 193.0 | 180.0 |
| | ☒ | 108.5 | 121.5 | 13.0 | 17.5 | 1.0 | 2.5 | 0.0 | 0.0 | 189.5 | 181.0 |
| Pančevo | 2005 | 85.0 | 103.0 | 10.0 | 15.0 | 1.0 | 0.0 | 0.0 | 0.0 | 189.0 | 198.0 |
| | 2006 | | | 10.0 | 9.0 | 0.0 | 0.0 | 0.0 | 0.0 | 169.4 | 153.2 |
| | ☒ | 85.0 | 103.0 | 10.0 | 12.0 | 0.5 | 0.0 | 0.0 | 0.0 | 179.2 | 175.6 |
| Sremska Mitrovica | 2005 | 118.0 | 131.0 | 17.0 | 18.0 | 2.0 | 1.0 | 0.0 | 0.0 | 189.1 | 183.7 |
| | 2006 | | | 19.0 | 12.0 | 0.0 | 1.0 | 0.0 | 0.0 | 197.6 | 183.4 |
| | ☒ | 118.0 | 131.0 | 18.0 | 15.0 | 1.0 | 1.0 | 0.0 | 0.0 | 193.3 | 183.5 |
| Sombor | 2005 | 117.6 | 120.6 | 9.6 | 10.1 | 3.0 | 3.0 | 0.0 | 0.0 | 183.0 | 169.6 |
| | 2006 | 96.4 | 101.4 | 17.2 | 12.8 | 1.0 | 1.0 | 0.0 | 0.0 | 156.9 | 160.1 |
| | ☒ | 107.0 | 111.0 | 13.4 | 11.5 | 2.0 | 2.0 | 0.0 | 0.0 | 170.0 | 164.9 |
| ☒ (2005-2006.) | | 104.6 | 116.4 | 14.1 | 14.3 | 1.2 | 1.4 | 0.0 | 0.0 | 179.3 | 176.7 |

OTPORNOST PREMA BOLESTIMA

Tabela 3.

| Lokalitet | Godina | Ocena (1-9) | | | | Procenat zaraze | | | | | |
|-------------------|--------|-------------|------------|----------------------|------------|-----------------|------------|---------------|------------|---------|------------|
| | | Plamenjača | | Bakteriozna pegavost | | Bela trulež | | Crna pegavost | | Viroze | |
| | | Sorta 8 | Vojvođanka | Sorta 8 | Vojvođanka | Sorta 8 | Vojvođanka | Sorta 8 | Vojvođanka | Sorta 8 | Vojvođanka |
| Karavukovo | 2005 | 1.0 | 1.0 | 3.0 | 3.0 | 15.0 | 10.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | 2006 | 1.0 | 1.0 | 2.0 | 2.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | ☒ | 1.0 | 1.0 | 2.5 | 2.5 | 7.5 | 5.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Novi Sad | 2005 | 2.0 | 2.0 | 1.0 | 2.0 | | | | | | |
| | 2006 | 4.0 | 3.0 | 1.0 | 2.0 | | | | | | |
| | ☒ | 3.0 | 2.5 | 1.0 | 2.0 | | | | | | |
| Pančevo | 2005 | 2.0 | 1.0 | 1.0 | 1.0 | 5.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | 2006 | 2.0 | 2.0 | 1.0 | 1.0 | 2.0 | 2.0 | 2.0 | 2.0 | 1.0 | 0.0 |
| | ☒ | 2.0 | 1.5 | 1.0 | 1.0 | 3.5 | 1.0 | 1.0 | 1.0 | 0.5 | 0.0 |
| Sremska Mitrovica | 2005 | 2.0 | 3.0 | 1.0 | 2.0 | 15.0 | 10.0 | 5.0 | 5.0 | 0.0 | 0.0 |
| | 2006 | 2.0 | 2.0 | 2.0 | 2.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | ☒ | 2.0 | 2.5 | 1.5 | 2.0 | 7.5 | 5.0 | 2.5 | 2.5 | 0.0 | 0.0 |
| Sombor | 2005 | 1.0 | 1.0 | 3.0 | 3.0 | 20.0 | 20.0 | 0.0 | 0.0 | | |
| | 2006 | 1.0 | 1.0 | 3.0 | 3.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | ☒ | 1.0 | 1.0 | 3.0 | 3.0 | 10.0 | 10.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| ☒ (2005-2006.) | | 1.8 | 1.7 | 1.8 | 2.1 | 7.1 | 5.3 | 0.9 | 0.9 | 0.1 | 0.0 |

Sorta 9Reg.br. 320-09-722/2005-06**PROIZVODNE KARAKTERISTIKE SORTE**

Tabela 1.

| Lokalitet | Godina | Prinos zrna (kg/ha) | | Sadržaj sirovih proteina (na s.m.) | | Sadržaj sirovog ulja (na s.m.) | | Sadržaj vlage u zrnu (%) | | Dužina vegetacije (dana) | |
|-------------------|--------|---------------------|------------|------------------------------------|------------|--------------------------------|------------|--------------------------|------------|--------------------------|------------|
| | | Sorta 9 | Vojvođanka | Sorta 9 | Vojvođanka | Sorta 9 | Vojvođanka | Sorta 9 | Vojvođanka | Sorta 9 | Vojvođanka |
| Karavukovo | 2005 | 4805 | 4155 | 33.4 | 34.8 | 19.1 | 18.0 | 15.3 | 15.7 | 149 | 148 |
| | 2006 | 4230 | 4385 | 34.1 | 33.0 | 19.6 | 20.1 | 13.1 | 11.5 | 138 | 137 |
| | ☒ | 4518 | 4270 | 33.7 | 33.9 | 19.3 | 19.0 | 14.2 | 13.6 | 144 | 143 |
| Novi Sad | 2005 | 4443 | 5040 | 37.0 | 36.1 | 19.6 | 19.4 | 6.3 | 7.5 | 153 | 150 |
| | 2006 | 4913 | 4521 | 34.9 | 35.9 | 21.1 | 19.8 | 8.3 | 9.0 | 144 | 141 |
| | ☒ | 4678 | 4780 | 35.9 | 36.0 | 20.3 | 19.6 | 7.3 | 8.3 | 149 | 146 |
| Pančevo | 2005 | 3504 | 3550 | 30.6 | 32.4 | 20.0 | 20.1 | 18.3 | 14.3 | 139 | 136 |
| | 2006 | 5009 | 3964 | 31.6 | 32.4 | 21.0 | 20.9 | 13.5 | 12.5 | 142 | 142 |
| | ☒ | 4257 | 3757 | 31.1 | 32.4 | 20.5 | 20.5 | 15.9 | 13.4 | 141 | 139 |
| Sremska Mitrovica | 2005 | 5440 | 5400 | 35.9 | 35.1 | 19.7 | 19.2 | 10.6 | 11.9 | 149 | 147 |
| | 2006 | 5520 | 4900 | 32.5 | 32.0 | 20.1 | 19.9 | 14.2 | 14.6 | 137 | 135 |
| | ☒ | 5480 | 5150 | 34.2 | 33.5 | 19.9 | 19.6 | 12.4 | 13.3 | 143 | 141 |
| Sombor | 2005 | 4170 | 4230 | 34.0 | 33.3 | 19.7 | 20.1 | 12.7 | 12.4 | 151 | 150 |
| | 2006 | 3360 | 3603 | 29.1 | 31.7 | 21.6 | 20.6 | 13.8 | 12.8 | 145 | 144 |
| | ☒ | 3765 | 3916 | 31.6 | 32.5 | 20.6 | 20.3 | 13.3 | 12.6 | 148 | 147 |
| ☒ | 2005 | 4472 | 4475 | 34.2 | 34.3 | 19.6 | 19.3 | 12.6 | 12.4 | 148 | 146 |
| | 2006 | 4606 | 4274 | 32.4 | 33.0 | 20.7 | 20.3 | 12.6 | 12.1 | 141 | 140 |
| ☒ (2005-2006.) | | 4539 ^o | 4375 | 33.3 | 33.7 | 20.1 | 19.8 | 12.6 | 12.2 | 145 | 143 |
| d | 0.05 | 177 | | | | | | | | | |
| | 0.01 | 215 | | | | | | | | | |
| Cv | | 7.10 | | | | | | | | | |

BIOLOŠKE OSOBINE SORTE

Tabela 2.

| Lokalitet | Godina | Visina biljke (cm) | | Visina do prve mahune (cm) | | Poleganje (0-5) | | Pucanje mahune (%) | | Masa 1000 zrna (g) | |
|-------------------|--------|--------------------|------------|----------------------------|------------|-----------------|------------|--------------------|------------|--------------------|------------|
| | | Sorta 9 | Vojvođanka | Sorta 9 | Vojvođanka | Sorta 9 | Vojvođanka | Sorta 9 | Vojvođanka | Sorta 9 | Vojvođanka |
| Karavukovo | 2005 | 110.5 | 126.1 | 22.3 | 20.1 | 2.0 | 2.0 | 0.0 | 0.0 | 195.0 | 214.0 |
| | 2006 | 89.3 | 106.0 | 12.6 | 11.2 | 1.0 | 1.0 | 0.0 | 0.0 | 146.8 | 142.9 |
| | ☒ | 99.9 | 116.1 | 17.5 | 15.7 | 1.5 | 1.5 | 0.0 | 0.0 | 170.9 | 178.4 |
| Novi Sad | 2005 | 101.0 | 139.0 | 20.0 | 21.0 | 2.0 | 3.0 | 0.0 | 0.0 | 200.0 | 182.0 |
| | 2006 | 74.0 | 104.0 | 10.0 | 14.0 | 0.0 | 2.0 | 0.0 | 0.0 | 192.0 | 180.0 |
| | ☒ | 87.5 | 121.5 | 15.0 | 17.5 | 1.0 | 2.5 | 0.0 | 0.0 | 196.0 | 181.0 |
| Pančevo | 2005 | 93.0 | 103.0 | 10.0 | 15.0 | 2.0 | 0.0 | 0.0 | 0.0 | 190.0 | 198.0 |
| | 2006 | | | 15.0 | 9.0 | 1.0 | 0.0 | 0.0 | 0.0 | 176.3 | 153.2 |
| | ☒ | 93.0 | 103.0 | 12.5 | 12.0 | 1.5 | 0.0 | 0.0 | 0.0 | 183.2 | 175.6 |
| Sremska Mitrovica | 2005 | 98.0 | 131.0 | 16.0 | 18.0 | 1.0 | 1.0 | 0.0 | 0.0 | 198.7 | 183.7 |
| | 2006 | | | 15.0 | 12.0 | 0.0 | 1.0 | 0.0 | 0.0 | 193.9 | 183.4 |
| | ☒ | 98.0 | 131.0 | 15.5 | 15.0 | 0.5 | 1.0 | 0.0 | 0.0 | 196.3 | 183.5 |
| Sombor | 2005 | 95.8 | 120.6 | 8.0 | 10.1 | 3.0 | 3.0 | 0.0 | 0.0 | 191.4 | 169.6 |
| | 2006 | 89.2 | 101.4 | 17.6 | 12.8 | 1.0 | 1.0 | 0.0 | 0.0 | 157.2 | 160.1 |
| | ☒ | 92.5 | 111.0 | 12.8 | 11.5 | 2.0 | 2.0 | 0.0 | 0.0 | 174.3 | 164.9 |
| ☒ (2005-2006.) | | 93.9 | 116.4 | 14.7 | 14.3 | 1.3 | 1.4 | 0.0 | 0.0 | 184.1 | 176.7 |

OTPORNOST PREMA BOLESTIMA

Tabela 3.

| Lokalitet | Godina | Ocena (1-9) | | | | Procenat zaraze | | | | | |
|-------------------|--------|-------------|------------|----------------------|------------|-----------------|------------|---------------|------------|---------|------------|
| | | Plamenjača | | Bakteriozna pegavost | | Bela trulež | | Crna pegavost | | Viroze | |
| | | Sorta 9 | Vojvođanka | Sorta 9 | Vojvođanka | Sorta 9 | Vojvođanka | Sorta 9 | Vojvođanka | Sorta 9 | Vojvođanka |
| Karavukovo | 2005 | 1.0 | 1.0 | 3.0 | 3.0 | 5.0 | 10.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | 2006 | 1.0 | 1.0 | 1.0 | 2.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | ☒ | 1.0 | 1.0 | 2.0 | 2.5 | 2.5 | 5.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Novi Sad | 2005 | 1.0 | 2.0 | 1.0 | 2.0 | | | | | | |
| | 2006 | 1.0 | 3.0 | 1.0 | 2.0 | | | | | | |
| | ☒ | 1.0 | 2.5 | 1.0 | 2.0 | | | | | | |
| Pančevo | 2005 | 2.0 | 1.0 | 2.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | 2006 | 2.0 | 2.0 | 2.0 | 1.0 | 1.0 | 2.0 | 2.0 | 2.0 | 1.0 | 0.0 |
| | ☒ | 2.0 | 1.5 | 2.0 | 1.0 | 0.5 | 1.0 | 1.0 | 1.0 | 0.5 | 0.0 |
| Sremska Mitrovica | 2005 | 1.0 | 3.0 | 1.0 | 2.0 | 5.0 | 10.0 | 3.0 | 5.0 | 0.0 | 0.0 |
| | 2006 | 2.0 | 2.0 | 2.0 | 2.0 | 0.0 | 0.0 | 1.0 | 0.0 | 0.0 | 0.0 |
| | ☒ | 1.5 | 2.5 | 1.5 | 2.0 | 2.5 | 5.0 | 2.0 | 2.5 | 0.0 | 0.0 |
| Sombor | 2005 | 1.0 | 1.0 | 4.0 | 3.0 | 10.0 | 20.0 | 0.0 | 0.0 | | |
| | 2006 | 1.0 | 1.0 | 1.0 | 3.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | ☒ | 1.0 | 1.0 | 2.5 | 3.0 | 5.0 | 10.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| ☒ (2005-2006.) | | 1.3 | 1.7 | 1.8 | 2.1 | 2.6 | 5.3 | 0.8 | 0.9 | 0.1 | 0.0 |

Sorta 10Reg.br. 320-09-514/2005-06**PROIZVODNE KARAKTERISTIKE SORTE**

Tabela 1.

| Lokalitet | Godina | Prinos zrna (kg/ha) | | Sadržaj sirovih proteina (na s.m.) | | Sadržaj sirovog ulja (na s.m.) | | Sadržaj vlage u zrnu (%) | | Dužina vegetacije (dana) | |
|-------------------|--------|---------------------|------------|------------------------------------|------------|--------------------------------|------------|--------------------------|------------|--------------------------|------------|
| | | Sorta 10 | Vojvođanka | Sorta 10 | Vojvođanka | Sorta 10 | Vojvođanka | Sorta 10 | Vojvođanka | Sorta 10 | Vojvođanka |
| Karavukovo | 2005 | 3858 | 4155 | 32.8 | 34.8 | 20.0 | 18.0 | 13.4 | 15.7 | 150 | 148 |
| | 2006 | 3993 | 4385 | 33.4 | 33.0 | 18.9 | 20.1 | 12.6 | 11.5 | 140 | 137 |
| | ☒ | 3925 | 4270 | 33.1 | 33.9 | 19.4 | 19.0 | 13.0 | 13.6 | 145 | 143 |
| Novi Sad | 2005 | 5508 | 5040 | 36.7 | 36.1 | 18.9 | 19.4 | 6.1 | 7.5 | 153 | 150 |
| | 2006 | 4921 | 4521 | 36.1 | 35.9 | 19.0 | 19.8 | 7.5 | 9.0 | 143 | 141 |
| | ☒ | 5214 | 4780 | 36.4 | 36.0 | 18.9 | 19.6 | 6.8 | 8.3 | 148 | 146 |
| Pančevo | 2005 | 3345 | 3550 | 31.1 | 32.4 | 19.3 | 20.1 | 17.4 | 14.3 | 139 | 136 |
| | 2006 | 4070 | 3964 | 32.0 | 32.4 | 20.5 | 20.9 | 12.6 | 12.5 | 143 | 142 |
| | ☒ | 3708 | 3757 | 31.5 | 32.4 | 19.9 | 20.5 | 15.0 | 13.4 | 141 | 139 |
| Sremska Mitrovica | 2005 | 5708 | 5400 | 35.2 | 35.1 | 19.3 | 19.2 | 11.8 | 11.9 | 146 | 147 |
| | 2006 | 4958 | 4900 | 32.6 | 32.0 | 19.2 | 19.9 | 15.0 | 14.6 | 137 | 135 |
| | ☒ | 5333 | 5150 | 33.9 | 33.5 | 19.3 | 19.6 | 13.4 | 13.3 | 142 | 141 |
| Sombor | 2005 | 4310 | 4230 | 34.3 | 33.3 | 19.1 | 20.1 | 12.8 | 12.4 | 154 | 150 |
| | 2006 | 3880 | 3603 | 30.3 | 31.7 | 21.2 | 20.6 | 13.4 | 12.8 | 146 | 144 |
| | ☒ | 4095 | 3916 | 32.3 | 32.5 | 20.2 | 20.3 | 13.1 | 12.6 | 150 | 147 |
| ☒ | 2005 | 4546 | 4475 | 34.0 | 34.3 | 19.3 | 19.3 | 12.3 | 12.4 | 148 | 146 |
| | 2006 | 4364 | 4274 | 32.9 | 33.0 | 19.7 | 20.3 | 12.2 | 12.1 | 142 | 140 |
| ☒ (2005-2006.) | | 4455 ^o | 4375 | 33.4 | 33.7 | 19.5 | 19.8 | 12.3 | 12.2 | 145 | 143 |
| d | | 0.05 | | 177 | | | | | | | |
| | | 0.01 | | 215 | | | | | | | |
| Cv | | | | 7.10 | | | | | | | |

BIOLOŠKE OSOBINE SORTE

Tabela 2.

| Lokalitet | Godina | Visina biljke (cm) | | Visina do prve mahune (cm) | | Poleganje (0-5) | | Pucanje mahune (%) | | Masa 1000 zrna (g) | |
|-------------------|--------|--------------------|------------|----------------------------|------------|-----------------|------------|--------------------|------------|--------------------|------------|
| | | Sorta 10 | Vojvođanka | Sorta 10 | Vojvođanka | Sorta 10 | Vojvođanka | Sorta 10 | Vojvođanka | Sorta 10 | Vojvođanka |
| Karavukovo | 2005 | 120.0 | 126.1 | 24.5 | 20.1 | 1.0 | 2.0 | 0.0 | 0.0 | 177.0 | 214.0 |
| | 2006 | 97.6 | 106.0 | 15.0 | 11.2 | 1.0 | 1.0 | 0.0 | 0.0 | 132.7 | 142.9 |
| | ☒ | 108.8 | 116.1 | 19.8 | 15.7 | 1.0 | 1.5 | 0.0 | 0.0 | 154.8 | 178.4 |
| Novi Sad | 2005 | 140.0 | 139.0 | 27.0 | 21.0 | 1.0 | 3.0 | 0.0 | 0.0 | 179.0 | 182.0 |
| | 2006 | 109.0 | 104.0 | 16.0 | 14.0 | 1.0 | 2.0 | 0.0 | 0.0 | 195.0 | 180.0 |
| | ☒ | 124.5 | 121.5 | 21.5 | 17.5 | 1.0 | 2.5 | 0.0 | 0.0 | 187.0 | 181.0 |
| Pančevo | 2005 | 107.0 | 103.0 | 15.0 | 15.0 | 1.0 | 0.0 | 0.0 | 0.0 | 185.0 | 198.0 |
| | 2006 | | | 18.0 | 9.0 | 0.0 | 0.0 | 0.0 | 0.0 | 156.0 | 153.2 |
| | ☒ | 107.0 | 103.0 | 16.5 | 12.0 | 0.5 | 0.0 | 0.0 | 0.0 | 170.5 | 175.6 |
| Sremska Mitrovica | 2005 | 140.0 | 131.0 | 18.0 | 18.0 | 1.0 | 1.0 | 0.0 | 0.0 | 182.0 | 183.7 |
| | 2006 | | | 21.0 | 12.0 | 1.0 | 1.0 | 0.0 | 0.0 | 196.1 | 183.4 |
| | ☒ | 140.0 | 131.0 | 19.5 | 15.0 | 1.0 | 1.0 | 0.0 | 0.0 | 189.1 | 183.5 |
| Sombor | 2005 | 142.8 | 120.6 | 8.0 | 10.1 | 2.0 | 3.0 | 0.0 | 0.0 | 181.8 | 169.6 |
| | 2006 | 113.4 | 101.4 | 18.4 | 12.8 | 1.0 | 1.0 | 0.0 | 0.0 | 156.0 | 160.1 |
| | ☒ | 128.1 | 111.0 | 13.2 | 11.5 | 1.5 | 2.0 | 0.0 | 0.0 | 168.9 | 164.9 |
| ☒ (2005-2006.) | | 121.2 | 116.4 | 18.1 | 14.3 | 1.0 | 1.4 | 0.0 | 0.0 | 174.1 | 176.7 |

OTPORNOST PREMA BOLESTIMA

Tabela 3.

| Lokalitet | Godina | Ocena (1-9) | | | | Procenat zaraze | | | | | |
|-------------------|--------|-------------|------------|----------------------|------------|-----------------|------------|---------------|------------|----------|------------|
| | | Plamenjača | | Bakteriozna pegavost | | Bela trulež | | Crna pegavost | | Viroze | |
| | | Sorta 10 | Vojvođanka | Sorta 10 | Vojvođanka | Sorta 10 | Vojvođanka | Sorta 10 | Vojvođanka | Sorta 10 | Vojvođanka |
| Karavukovo | 2005 | 1.0 | 1.0 | 3.0 | 3.0 | 0.0 | 10.0 | 4.0 | 0.0 | 0.0 | 0.0 |
| | 2006 | 1.0 | 1.0 | 1.0 | 2.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | ☒ | 1.0 | 1.0 | 2.0 | 2.5 | 0.5 | 5.0 | 2.0 | 0.0 | 0.0 | 0.0 |
| Novi Sad | 2005 | 2.0 | 2.0 | 1.0 | 2.0 | | | | | | |
| | 2006 | 3.0 | 3.0 | 2.0 | 2.0 | | | | | | |
| | ☒ | 2.5 | 2.5 | 1.5 | 2.0 | | | | | | |
| Pančevo | 2005 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | 2006 | 2.0 | 2.0 | 1.0 | 1.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 0.0 |
| | ☒ | 1.5 | 1.5 | 1.0 | 1.0 | 1.5 | 1.0 | 1.0 | 1.0 | 1.0 | 0.0 |
| Sremska Mitrovica | 2005 | 2.0 | 3.0 | 1.0 | 2.0 | 3.0 | 10.0 | 8.0 | 5.0 | 0.0 | 0.0 |
| | 2006 | 2.0 | 2.0 | 2.0 | 2.0 | 0.0 | 0.0 | 1.0 | 0.0 | 0.0 | 0.0 |
| | ☒ | 2.0 | 2.5 | 1.5 | 2.0 | 1.5 | 5.0 | 4.5 | 2.5 | 0.0 | 0.0 |
| Sombor | 2005 | 1.0 | 1.0 | 3.0 | 3.0 | 0.0 | 20.0 | 5.0 | 0.0 | | |
| | 2006 | 1.0 | 1.0 | 1.0 | 3.0 | 1.0 | 0.0 | 1.0 | 0.0 | 0.0 | 0.0 |
| | ☒ | 1.0 | 1.0 | 2.0 | 3.0 | 0.5 | 10.0 | 3.0 | 0.0 | 0.0 | 0.0 |
| ☒ (2005-2006.) | | 1.6 | 1.7 | 1.6 | 2.1 | 1.0 | 5.3 | 2.6 | 0.9 | 0.3 | 0.0 |